


Below Ground Drainage, Water Supply, Utilities & Insulation



Trade List 2018 Rev 1

Welcome to Polypipe

At Polypipe, conceiving, designing, manufacturing and delivering the most advanced products and systems isn't merely an occupation. It's a passion. One that's based around a few simple beliefs. Expertise isn't an option. Quality always beats quantity. Products are nothing without service and support. Sustainability isn't just a 'green' word. And working with our customers is much better than simply supplying them.



Every job is covered

Polypipe offers a comprehensive range of below ground drainage products, incorporating all necessary systems for the disposal and redistribution of waste water and rainwater.

Drainage 4 - 39

Underground Drain	4 - 9
Polycore and Polyrib Drainage	10 - 11
Access Fittings & Puddle Flanges	12
Anti-Splash Concrete Surrounds	13
Underground Drainage Adaptors	14 - 15
Settlement Fittings	16
Channel Components	17 - 18
Inspection Chambers, Covers and Frames	19 - 22
Inspection Chambers, Covers and Frames Polypropylene	22
SFA7 Pipe Riser Inspection Chambers, Covers and Frames	23
SFA7 Inspection Chambers, Covers and Frames Polypropylene	24 - 25
Underground Ancillaries	26
Polysewer Gravity Sewer System	27 - 30
Sewerdrain Gravity Sewer System	31 - 33
Flexicon - Flexible Rubber Couplers and Adaptors	34 - 37
Flexicon Reducing Bushes	38 - 39

Water Supply 40 - 52

Water Service Pipes MDPE PE80	40
Polyfast Polyethylene Compression Fittings	41 - 49
Polyguard Barrier Pipe & Fittings	50 - 51
Water Supply Pipe and Fittings Ancillaries	52

Utilities 53

Gas Pipe	53
----------	----

Geothermal Systems 54

Pre-Insulated Pipes 55

Civils 55 - 68

Polystorm Modular Water Storage	56 - 58
Rainstream Home & Garden	59 - 62
General Purpose Duct System	63
Land Drainage Pipes and Couplers	64
Ridgidrain	65 - 66
Ridgiduct, Ridgicoil & Polyduct	67
Gullys	68
Channel Drainage	69

Miscellaneous 70

Insulation 71 - 78

Cavity Closer - Open Cavity	71 - 74
Cavity Closer - Closed Cavity	75
Cavity Closer - Party Wall	76
Acoustic Cavity Sock	77
Loft Hatch	78

General Information 79 - 84

Spares & Ancillaries	79
Index	79 - 85
Guide to Order Procedures	86
General Trading Information	87
Terms & Conditions	88 - 91

Drainage

Underground Drain - PVCu

Terracotta brown unless otherwise stated



Polypipe

Plain Ended Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
3in/82mm. 3m length.	UG330	1	104	50E	
3in/82mm. 6m length.	UG360	1	104	50E	
4in/110mm. 3m length.	UG430	1	57	50E	
4in/110mm. 6m length.	UG460	1	57	50E	
6in/160mm. 3m length.	UG630	1	46	50E	
6in/160mm. 6m length.	UG660	1	46	50E	

Single Socket Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 3m length.	UG432	1	57	50E	
4in/110mm. 6m length.	UG462	1	57	50E	
6in/160mm. 3m length.	UG632	1	46	50E	
6in/160mm. 6m length.	UG662	1	46	50E	

Plain Ended Perforated Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 6m length.	UG465	1	57	50E	
6in/160mm. 6m length.	UG665	1	46	50E	

Single Socket Perforated Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 6m length.	UG469	1	57	50E	
6in/160mm. 6m length.	UG669	1	46	50E	

Manhole Connector	Code	Pack Qty.	Bulk Qty.	Product Group	
6in/160mm. 600mm (Sand Coated one end).	UGR699	1	46	50E	

Temporary Pipe Cap	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. For Site protection of Plain End Pipe.	PC04	1	100	51M	

Single Socket Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
3in/82mm. Requires Solvent Welding.	USH33	1	20	51M	
4in/110mm. Requires Solvent Welding.	USH43	1	10	51M	
6in/160mm. Requires Solvent Welding.	USH643	1	20	51M	

Drainage


Underground Drain - PVCu




Terracotta brown unless otherwise stated





 **Polypipe**

Double Socket Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
3in/82mm. Remove Centre Stop for use as Slip Coupling.	UG301	1	20	51M	
4in/110mm. Slip Coupler - No Centre Stop	UG400	10	10	51M	
4in/110mm. With Centre Stop	UG401	10	10	51M	
6in/160mm. Remove Centre Stop for use as Slip Coupling.	UG601	1	10	51M	

Polypropylene Double Socket Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Do Not Solvent Weld.	UG402	10	10	51M	
6in/160mm. Do Not Solvent Weld.	UG602	1	10	51M	

Single Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
3in/82mm. 87½°.	UG312	1	10	51M	 UG468  UG410  UG408
4in/110mm. 87½°.	UG489	1	10	51M	
6in/160mm. 87½°.	UG612	1	5	51M	
3in/82mm. 45°.	UG304	1	20	51M	
4in/110mm. 45°.	UG404	10	10	51M	
6in/160mm. 45°.	UG604	1	10	51M	
4in/110mm. 30°.	UG468	10	10	51M	
6in/160mm. 30°.	UG668	1	10	51M	
4in/110mm. 15°.	UG410	10	10	51M	
6in/160mm. 15°.	UG610	1	10	51M	
4in/110mm. 11¼°.	UG408	1	10	51M	

Double Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½°.	UG484	1	10	51M	 UG484  UG409
6in/160mm. 87½°.	UG611	1	5	51M	
4in/110mm. 45°.	UG403	1	10	51M	
6in/160mm. 45°.	UG603	1	10	51M	
4in/110mm. 30°.	UG467	1	10	51M	
6in/160mm. 30°.	UG667	1	10	51M	
4in/110mm. 15°.	UG409	1	10	51M	
6in/160mm. 15°.	UG609	1	10	51M	
4in/110mm. 11¼°.	UG407	1	10	51M	

Drainage

Underground Drain - PVCu


Terracotta brown unless otherwise stated






KM59284


KM06383


Polypipe

87½° Long Radius Bends	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½° Long Radius - Single Socket.	UG412	1	10	51M	 UG412
4in/110mm. 87½° Long Radius - Double Socket.	UG411	10	10	51M	
4in/110mm. 87½° Long Radius - Double Socket Rest Bend.	UG483	1	10	51M	

Adjustable Bend Double Socket	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm 30°. PP Do Not Solvent Weld	UG494	1	10	51M	
4in/110mm 90°. PP Do Not Solvent Weld 	UG479	1	10	51M	

Long Radius Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½° Plain Ended.	UG471	1	7	51M	 UG471
6in/160mm. 87½° Plain Ended.	UG671	1	1	51M	
4in/110mm. 45° Plain Ended.	UG472	1	10	51M	
6in/160mm. 45° Plain Ended.	UG672	1	10	51M	
4in/110mm. 22½° Plain Ended.	UG473	1	10	51M	
4in/110mm. 11¼° Plain Ended.	UG474	1	10	51M	

Equal Junctions	Code	Pack Qty.	Bulk Qty.	Product Group	
3in/82mm. 87½° Double Socket.	UG324	1	10	51M	 UG406
4in/110mm. 87½° Double Socket.	UG424	1	10	51M	
6in/160mm. 87½° Double Socket.	UG624	1	5	51M	
4in/110mm. 45° Double Socket.	UG406	1	10	51M	
6in/160mm. 45° Double Socket.	UG606	1	5	51M	
4in/110mm. 87½° Triple Socket.	UG423	1	10	51M	
6in/160mm. 87½° Triple Socket.	UG623	1	5	51M	
4in/110mm. 45° Triple Socket.	UG405	1	10	51M	
6in/160mm. 45° Triple Socket.	UG605	1	5	51M	

Unequal Junctions	Code	Pack Qty.	Bulk Qty.	Product Group	
6in/160mm. 87½° Double Socket (160 x 160 x 110mm).	UG644	1	5	51M	 UG644
6in/160mm. 45° Double Socket (160 x 160 x 110mm).	UG636	1	5	51M	
6in/160mm. 87½° Triple Socket (160 x 160 x 110mm).	UG643	1	5	51M	
6in/160mm. 45° Triple Socket (160 x 160 x 110mm).	UG635	1	5	51M	


Drainage


Underground Drain - PVCu


Terracotta brown unless otherwise stated




Polypipe




Level Invert Reducer	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 110mm Spigot x 82mm Socket.	UG421	1	20	51M	 UG421
6in/160mm. 160mm Spigot x 110mm Socket.	UG621	1	10	51M	


Plain Socket Plug	Code	Pack Qty.	Bulk Qty.	Product Group	
3in/82mm. Also for site protection of socket.	UG320	1	10	51M	
4in/110mm. Also for site protection of socket.	UG420	1	10	51M	
6in/160mm. Also for site protection of socket.	UG620	1	10	51M	

Bottle Gully	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Plain (Roddable) inc. round PP grid (Black).	UG425	1	5	51M	

Back Inlet Bottle Gully	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Roddable inc. round PP grid (Black) (Open 110mm rear inlet).	UG427	1	5	51M	

Back Inlet Bottle Gully Square Top 	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Removable dip tube provides 50mm deep trap. Roddable inc. black PP screwed grid, capped 110mm rear inlet and 2 bosses (cut ends off rubber blanking caps to adapt to 40mm waste pipe)	UG446	1	1	51M	


Bottle Gully Ancillaries	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Round Aluminium Grid.	UG442	1	50	51M	 UG426
4in/110mm. Spare PP Round Grid.	UG426	1	100	51M	
4in/110mm. Sealed Access Cover (Aluminium).	UG433	1	10	51M	 UG427S
4in/110mm. Blanking Plug with Boss Shoulder for waste connection.	UG427S	1	25	51M	
4in/110mm. Back Entry Bend.	UG480	1	10	51M	 UG480
4in/110mm. Raising Piece marked for cutting to required height max 225mm.	UG427R	1	10	51M	
4in/110mm. Square Top surround - Black PP 228mm x 228mm (not for UG433).	UG418	1	20	51M	

Anti-Flood Valve	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Spigot/Socket.	AFV110	1	1	51M	
6in/160mm. Spigot/Socket.	AFV160	1	1	51M	

Drainage

Underground Drain - PVCu

Terracotta brown unless otherwise stated



 **Polypipe**

Lowback 'P' Trap (Spigot Outlet/ Socket Inlet)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. To convert to 'S' Trap add 87½° Bend. To convert to 'Q' Trap add 45° Bend. Invert depth not to exceed 600mm when used below Hoppers. Drop Rod hole is for suspended system.	UG498	1	10	51M	
Universal Gully Trap	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Spigot 45°.	UG413	1	10	51M	
Back Inlet Square Hopper	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Spigot Outlet inc square PP Grid (Black) use with UG413.	UG414B	1	20	51M	
Square Hopper - Socket	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Solvent Socket inc. Square PP grid (Black).	UG414	1	30	51M	
Raising Piece for UG414/UG414B	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 160mm depth.	UG470	1	10	51M	
Square Aluminium Grid for UG414/UG414B	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 150mm x 150mm.	UG443	1	50	51M	
Spare Square PP Grid (Black) for UG414/UG414B	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 150mm x 150mm.	UG415	1	100	51M	
Rectangular Hopper	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 140mm Spigot inc rectangular PP grid (Black). 275mm x 175mm.	UG428	1	5	51M	
Spare Rectangular PP grid (Black)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 250mm x 150mm.	UG429	1	10	51M	

Drainage

Underground Drain - PVCu

Terracotta brown unless otherwise stated



 **Polypipe**

Square Hopper - Spigot	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Spigot Tail (104mm) inc Square PP grid.(Black)	UG417	1	10	51M	
Spare Square PP Grid (Black) for UG417	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 155mm x 155mm.	UG4176	1	100	51M	
Square Sealed Cover for UG417	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 155mm x 155mm. Converts UG417 Square Hopper from Open Grid to Sealed Cover	UG4175	1	100	51M	
Waste Inlet Adaptor	Code	Pack Qty.	Bulk Qty.	Product Group	
For 40mm Pipe. Cut off base and use in the UG417 Boss Connection. Also fits UG446.	UG4177	1	10	51M	

Drainage


Polycore and Polyrib Drainage - PVCu

Terracotta brown unless otherwise stated




Polypipe


Polycore Plain Ended Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 3m length.	UFC430	1	57	103E	
4in/110mm. 6m length.	UFC460	1	57	103E	
6in/160mm. 3m length.	UFC630	1	46	103E	
6in/160mm. 6m length.	UFC660	1	46	103E	




Polycore Single Socket Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 3m length.	UFC432	1	57	103E	
4in/110mm. 6m length.	UFC462	1	57	103E	
6in/160mm. 3m length.	UFC632	1	46	103E	
6in/160mm. 6m length.	UFC662	1	46	103E	




Couplers	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Double Socket Coupler (Remove Centre Stop for use as slip coupler).	UR401	1	10	59M	
6in/160mm. Double Socket Coupler (Remove Centre Stop for use as slip coupler).	UG601	1	10	51M	




Reducer	Code	Pack Qty.	Bulk Qty.	Product Group	
6in/160mm. 160mm Spigot x 110mm Socket.	UG621	1	10	51M	




87½° Single Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Spigot Short Radius Swept Bend.	UR412	1	10	59M	
6in/160mm. Socket/Spigot Short Radius Swept Bend.	UR612	1	5	59M	




45° Single Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Spigot.	UR404	1	10	59M	
6in/160mm. Socket/Spigot.	UR604	1	10	59M	



30° Single Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Spigot.	UR468	1	10	59M	
6in/160mm. Socket/Spigot.	UR668	1	10	59M	



15° Single Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Spigot.	UR410	1	10	59M	
6in/160mm. Socket/Spigot.	UR610	1	10	59M	




Drainage


Polycore and Polyrib Drainage - PVCu


Terracotta brown unless otherwise stated




Polypipe

87½° Double Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Socket Short Radius Swept Bend.	UR411	1	10	59M	
6in/160mm. Socket/Socket Short Radius Swept Bend.	UR611	1	5	59M	

45° Double Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Socket.	UR403	1	10	59M	
6in/160mm. Socket/Socket.	UR603	1	10	59M	

30° Double Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Socket.	UR467	1	10	59M	
6in/160mm. Socket/Socket.	UR667	1	10	59M	

15° Double Socket Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Socket.	UR409	1	10	59M	
6in/160mm. Socket/Socket.	UR609	1	10	59M	

Equal Junctions	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½° Double Socket/Spigot.	UR424	1	10	59M	 UG424
4in/110mm. 45° Double Socket/Spigot.	UR406	1	10	59M	
6in/160mm. 45° Double Socket/Spigot.	UR606	1	5	59M	
4in/110mm. 87½° Triple Socket .	UR423	1	10	59M	
4in/110mm. 45° Triple Socket.	UR405	1	10	59M	
6in/160mm. 45° Triple Socket.	UR605	1	5	59M	

Unequal Junction	Code	Pack Qty.	Bulk Qty.	Product Group	
6in/160mm. 45° Double Socket/Spigot (160 x 160 x 110mm).	UR636	1	5	59M	
6in/160mm. 45° Triple Socket (160 x 160 x 110mm).	UR635	1	5	59M	

Drainage

Access Fittings & Puddle Flanges - PVCu

Terracotta brown unless otherwise stated



KM59284



45° Rodding Eye Terminal	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Aluminium Plain Oval Top/Spigot Tail (c/w Plate and Screws).	UG422	1	20	51M	 UG522
4in/110mm. Sealed Oval Top/Spigot Tail.	UG422S	1	20	51M	
6in/160mm. Sealed Oval Top/Socket Tail.	UG622S	1	8	51M	
4in/110mm. Aluminium Sealed Square Top/Socket Tail.	UG416S	1	15	51M	 UG521
4in/110mm. Black PP Sealed Square Top/Spigot Tail. Tail angled 45° (Do not Solvent Weld).	UG522	1	10	51M	
4in/110mm. Black PP Sealed Square Top/Socket Tail. Tail angled 45° (Do not Solvent Weld).	UG521	1	10	51M	
4in/110mm. Black PP Sealed Square Top/Socket Tail. Straight 90° (Do not Solvent Weld).	UG523	1	10	51M	 UG523

Access Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Single Socket with 3 Boss Shoulders.	USA43	1	10	51M	
6in/160mm. Single Socket - Plain only.	USA643	1	10	51M	

Screwed Access Plug and Cap	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Spigot Tail. Plug.	USA62	1	20	51M	 USA62
6in/160mm. Spigot Tail. Plug.	USA662	1	10	51M	
4in/110mm. Solvent Socket Tail. Cap.	USA63	1	20	51M	

Access Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 92½° Single Socket.	USB413	1	10	51M	

Puddle Flange	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Ring seal socket/Solvent socket 200 x 200mm Grey PVC Flange.	PUD110	1	25	51M	
6in/160mm. Ring seal socket/Solvent socket 240mm x 240mm Grey PVC Flange.	PUD160	1	10	51M	

Drainage

Anti-Splash Concrete Surrounds

Supplied factory bonded to PVCu gullys and hoppers as a complete unit ready to install on site



Bottle Gully (with Anti-Splash Top)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Plain (inc. Round Black PP grid).	UG425AST	1	1	51M	
4in/110mm. Back Inlet (inc. Round Black PP grid).	UG427AST	1	1	51M	
Bottle Gully Raising Piece (with Anti-Splash Top)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Raising piece marked for cutting to required height (max 225mm).	UG427RAST	1	1	51M	
Square Hopper (with Anti-Splash Top)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Solvent/Socket Outlet (inc. Square Black PP grid)	UG414AST	1	1	51M	
Rectangular Hopper (with Anti-Splash Top)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 140mm Spigot End (inc. Rectangular Black PP grid).	UG428AST	1	1	51M	
Aluminium Square Flush to Top Grids	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Light Duty 207mm x 207mm. For use with square anti-splash tops.	UG454	1	25	51M	
4in/110mm. Heavy Duty 207mm x 207mm. For use with square anti-splash tops.	UG543	1	10	51M	

New Back Inlet Gully



New UG446 back inlet bottle gully with square top for discharge of external rainwater or waste pipes to drains is now available, complete with two low level waste inlets for 40mm pipe.

See page 7 for more details!





Drainage


Underground Drainage Adaptors


Terracotta brown unless otherwise stated




Clay/Cast Iron Adaptors	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. To Spigot.	UG463	1	10	51M	 UG463
6in/160mm. To Spigot.	UG663	1	4	51M	
4in/110mm. To Socket.	UG464	1	10	51M	
6in/160mm. To Socket.	UG664	1	4	51M	

Super Clay Pipe Adaptors (Polypropylene)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Super Clay Socket to PVC Spigot.	UG459	1	30	51M	 UG459
6in/160mm. Super Clay Socket to PVC Spigot.	UG659	1	20	51M	
4in/110mm. Super Clay Socket to PVC Socket.	UG434	1	30	51M	
6in/160mm. Super Clay Socket to PVC Socket.	UG634	1	20	51M	

Thick Clay Pipe Adaptors (Polypropylene)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Thick Clay Socket to PVC Spigot.	UG487	1	30	51M	 UG487
6in/160mm. Thick Clay Socket to PVC Spigot.	UG697	1	20	51M	
4in/110mm. Thick Clay Socket to PVC Socket.	UG486	1	30	51M	
6in/160mm. Thick Clay Socket to PVC Socket.	UG696	1	20	51M	

Ultrarib Adaptor	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. Ultrarib Socket to EN1401 Spigot.	UG6106	1	1	51M	

Universal Drain Adaptors (Black EPDM)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Locates on Spigot - Flexible to accept all Waste and Rainwater pipes inc. Square.	UG493	1	250	51M	
4in/110mm. Locates on Socket - Flexible to accept all Waste and Rainwater pipes inc. Square.	UG485	1	250	51M	

Rainwater	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 110mm Spigot/Socket to 68mm Round Socket (Do not Solvent Weld Polypropylene).	UG254	1	50	51M	
3in/82mm. 82mm Spigot/Socket to 68mm Round Socket (PP Do not Solvent Weld Polypropylene).	UG253	1	50	51M	

Drainage

Underground Drainage Adaptors

Terracotta brown unless otherwise stated



Waste Pipe Adaptors	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket to 32mm single.	UG455	1	25	51M	
4in/110mm. Socket to 40mm single.	UG456	1	25	51M	
4in/110mm. Socket to 50mm single.	UG457	1	25	51M	
4in/110mm. 32mm and 40mm double mixed to Socket.	UG461	1	25	51M	
4in/110mm. 40mm and 40mm double equal to Socket.	UG492	1	25	51M	
4in/110mm. Single to Pipe or Spigot (Requires Waste Boss Adaptor).	UG435	1	25	51M	











UG457

Drainage

Settlement Fittings

For situations where differential settlement may be an issue.
Terracotta Brown unless otherwise stated



Settlement Socket 300mm overall length	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Allows for up to 150mm movement. Overall length 300mm.	SS700	1	1	51M	
Settlement Socket 390mm overall length	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Allows for up to 250mm movement. Overall length 390mm.	SS701	1	1	51M	
Settlement Branch Pipe (92½° to Soil)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 210mm Spigot tail for use with SS704 or 706.	SS702	1	1	51M	
Solvent Branch only (92½° to Soil)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Solvent weld required pipe length into bottom socket on site. Solvent Socket.	SS703	1	1	51M	
Settlement 92½° Rest Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Max 150mm movement - for use at foot of soil stack.	SS704	1	1	51M	
Solvent 92½° Rest Bend only	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Solvent weld SS700, or SS701 on site. Solvent Socket.	SS705	1	1	51M	
Settlement 92½° Stub Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Max 150mm movement - NOT to be used at foot of soil stack.	SS706	1	1	51M	
Solvent 92½° Stub Bend only	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Solvent Weld SS700, or SS701 on site. Solvent Socket.	SS707	1	1	51M	


Settlement fittings are made to order, allow 14 days


Drainage


Channel Components - PVCu


Terracotta brown unless otherwise stated



Channel Access Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 1.5m Double Spigot.	UG447	1	1	51M	
6in/160mm. 1.5m Double Spigot.	UG647	1	1	51M	


Manhole Connectors	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 0.6m Double Spigot.	UG448	1	1	51M	
6in/160mm. 0.6m Double Spigot.	UG648	1	1	51M	

Channel Coupling	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. Socket/Socket.	UG449	1	1	51M	
6in/160mm. Socket/Socket.	UG649	1	1	51M	

Channel Bends	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½° Single Socket Left Hand.	UG450L	1	1	51M	
4in/110mm. 87½° Single Socket Right Hand.	UG450R	1	1	51M	
6in/160mm. 87½° Single Socket Left Hand.	UG650L	1	1	51M	
6in/160mm. 87½° Single Socket Right Hand.	UG650R	1	1	51M	
4in/110mm. 45° Single Socket Left Hand.	UG451L	1	1	51M	
4in/110mm. 45° Single Socket Right Hand.	UG451R	1	1	51M	
6in/160mm. 45° Single Socket Left Hand.	UG651L	1	1	51M	
6in/160mm. 45° Single Socket Right Hand.	UG651R	1	1	51M	
4in/110mm. 87½° Double Socket.	UG475	1	1	51M	
4in/110mm. 45° Double Socket.	UG476	1	1	51M	

UG451R

UG451L

Three Quarter Channel Bends (with full socket inlet)	Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½° Left Hand.	UG948L	1	1	51M	
4in/110mm. 87½° Right Hand.	UG947R	1	1	51M	
4in/110mm. 45° Left Hand.	UG946L	1	1	51M	
4in/110mm. 45° Right Hand.	UG945R	1	1	51M	




UG946L

Drainage

Channel Components - PVCu

Terracotta brown unless otherwise stated



Equal Channel Junctions		Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½° Double Socket Left Hand.	UG452L	1	1	51M		
4in/110mm. 87½° Double Socket Right Hand.	UG452R	1	1	51M		
4in/110mm. 45° Double Socket Left Hand.	UG453L	1	1	51M		
4in/110mm. 45° Double Socket Right Hand.	UG453R	1	1	51M		
4in/110mm. 87½° Triple Socket Left Hand.	UG477L	1	1	51M		
4in/110mm. 87½° Triple Socket Right Hand.	UG477R	1	1	51M		
4in/110mm. 45° Triple Socket Left Hand.	UG478L	1	1	51M		
4in/110mm. 45° Triple Socket Right Hand.	UG478R	1	1	51M		
Unequal Channel Junctions (160 x 160 x 110mm)		Code	Pack Qty.	Bulk Qty.	Product Group	
6in/160mm. 45° Double Socket Left Hand.	UG654L	1	1	51M		
6in/160mm. 45° Double Socket Right Hand.	UG654R	1	1	51M		
Long Radius Channel Bends (Plain Ended)		Code	Pack Qty.	Bulk Qty.	Product Group	
4in/110mm. 87½°.	UG481	1	1	51M		
6in/160mm. 87½°.	UG681	1	1	51M		
4in/110mm. 45°.	UG482	1	1	51M		
6in/160mm. 45°.	UG682	1	1	51M		

Drainage

Inspection Chambers, Covers and Frames

Polypropylene Black unless otherwise stated.



Loading Classification for Cover and Frames

A = Equivalent to Class A15 load category of BS EN 124-1 2015

(Pedestrians & pedal cyclists only)

A+ = Tested to withstand 35kN test load (Light vehicular traffic on domestic drives)

C = Tested to withstand 10kN test load (non-vehicular traffic only)

B125 = Class B125 load category of BS EN 124-1 2015 (Driveways, Footways & Landscaped Areas)

Riser Joints: We recommend a UG388 sealing ring should be used on the UG438. Alternatively sealant conforming to BS EN ISO 11600 can be used for jointing the riser sections. To ensure an adequate seal it is imperative that the gap between the two fins on the UG438 riser is filled excessively with sealant and any excess, following location, should be smoothed around the joints.

The UG466 riser is supplied with a finned seal on on-site assembly. This seal is not compatible with UG438.

110mm Shallow Access Chambers (Depth should not exceed 600mm) (Sockets include captive ring seal for chamfered pipes)	Code	Pack Qty.	Bulk Qty.	Product Group	
320mm. Chamber Base with 2 x 45° side branch inlets (170mm with 2 blanking plugs).	UG437	1	48	51M	
320mm. Chamber Base with 4 side branch inlets - 2 x 45° & 2 x 90° (170mm with 3 blanking plugs).	UG537	1	54	51M	
320mm Side Riser (135mm) complete with seal for on-site assembly	UG466	1	81	51M	
320mm. Side Riser (135mm).	UG438	1	81	51M	
320mm. Riser Sealing Ring (For Dry Fix to UG438 only, not compatible with UG466).	UG388	5	50	51M	
320mm. Circular Concrete Cover & PP Frame [A].	UG439	1	45	51M	
320mm. Aluminium Sealed Cover & Frame [C].	UG436	1	10	51M	
320mm. Square Concrete Cover & PP Frame [A].	UG499	1	45	51M	
320mm. Round PVC Cover and Frame [C] (Complete with seal and fixing screws).	UG501	1	5	51M	
320mm. Square PVC Cover and Frame [C] (Complete with seal and fixing screws).	UG502	1	5	51M	
320mm. Plastic Frame to Riser Fixing Kit .	FRK504	1	10	51M	



UG437



UG466



UG439



UG501



UG502

Ductile Iron Cover B125 & Recessed Pavior Cover	Code	Pack Qty.	Bulk Qty.	Product Group	
320mm. Ductile Iron Cover & PP Frame (EN124/Class B125).	UDC700	1	1	51M	
320mm . Recessed Pavior Cover Polypropylene Frame and Tray 390 x 390.	URP720	1	1	51M	



UDC700

New 320mm Side Riser UG466

- **Robust finned seal**
- **Watertight for first time site testing**
- **No additional seals or sealant required for installation**



Drainage

Inspection Chambers, Covers and Frames

Polypropylene Black unless otherwise stated.



Loading Classification for Cover and Frames

A = Equivalent to Class A15 load category of BS EN 124-1 2015

(Pedestrians & pedal cyclists only)

A+ = Tested to withstand 35kN test load (Light vehicular traffic on domestic drives)

C = Tested to withstand 10kN test load (non-vehicular traffic only)

B125 = Class B125 load category of BS EN 124-1 2015 (Driveways, Footways & Landscaped Areas)

† A rubber sealing ring (UG488) must be used on all 460mm dia. riser and chamber base joints.

* **Riser Joints:** Sealant conforming to BS EN ISO 11600 should be used for jointing rectangular riser sections.

110mm & 160mm Inspection Chambers (Depth should not exceed 1.00m) (Sockets include captive ring seal for chamfered pipes)

	Code	Pack Qty.	Bulk Qty.	Product Group	
460mm. 110mm Chamber Base with 4 side branch inlets - 2 x 45° & 2 x 90° (220mm with 3 blanking plugs).	UG440†	1	20	51M	 UG440
460mm. 160mm Chamber Base with 4 side branch inlets - 2 x 110mm x 45° & 2 x 160mm x 90° (258mm with 4 blanking plugs).	UG670†	1	24	51M	 UG670
460mm. Side Riser (215mm).	UG431†	1	20	51M	 UG431
460mm. Riser Sealing Ring (For Dry Fix to UG431).	UG488	5	50	51M	 UG444
460mm. Round Cast Iron Cover & Cast Iron Frame [A].	UG419	1	10	51M	 UG444
460mm. Round Cast Iron Cover & Polypropylene Frame [A].	UG444	1	100	51M	 UG497
460mm. Round Concrete Cover & Polypropylene Frame [A].	UG497	1	20	51M	 UG510
460mm. Square Cover and 65mm Deep Frame Polypropylene [A+]. Complete with seal and fixing screws and 350mm restricted access (removable) for depths greater than 1.2metres.	UG510*	1	5	51M	 UG511
460mm. Square Polypropylene Cover and Frame [A+] (complete with seals and fixing screws).	UG512	1	1	51M	 UG513
460mm. Round Polypropylene Screw down cover & frame BS7158 [A+].	UG511	1	1	51M	
460mm. Square Ductile Iron Cover and Frame (B125).	UG513	1	1	51M	
460mm. Plastic Frame to Riser Fixing Kit (for use with UG511).	FRK500	1	10	51M	
460mm. Plastic Frame to Riser Fixing Kit (for use with UG512).	FRK502	1	10	51M	
460mm. Spare Black Ties (30) (for FRK 500) - Not suitable for Cast Iron Frames.	FRK501	30	10	51M	
Key Lifting and Handle.	CLH500	1	1	51M	



NEW

Drainage

Inspection Chambers, Covers and Frames

Polypropylene Black unless otherwise stated.



Loading Classification for Cover and Frames

A = Equivalent to Class A15 load category of BS EN 124-1 2015

(Pedestrians & pedal cyclists only)



A+ = Tested to withstand 35kN test load (Light vehicular traffic on domestic drives)


C = Tested to withstand 10kN test load (non-vehicular traffic only)

B125 = Class B125 load category of BS EN 124-1 2015 (Driveways, Footways & Landscaped Areas)

† A rubber sealing ring (UG488) must be used on all 460mm dia. riser and chamber base joints.

* **Riser Joints:** Sealant conforming to BS EN ISO 11660 should be used for jointing rectangular riser sections.

Ductile Iron Cover B125 & Recessed Pavior Cover	Code	Pack Qty.	Bulk Qty.	Product Group	
460mm. Round Ductile iron cover & frame (EN124 / Class B125).	UDC750	1	1	51M	 UDC750
460mm. Square Recessed Pavior Cover Polypropylene Frame BS729 Galvanised Steel Tray 540mm x 540mm.	URP760	1	1	51M	 URP760

110mm Rectangular Inspection Chamber (Depth should not exceed 1.00m) (Sockets include seal for chamfered pipes) (Main channel inlet & outlet are plain end and require couplers or socketed pipes)	Code	Pack Qty.	Bulk Qty.	Product Group	
610 x 460mm. Chamber Base with 4 side branch inlets - 2 x LH & 2 x RH x 90° (330mm with 3 blanking plugs).	UG490*	1	10	51M	 UG490
610 x 460mm. Side Riser (180mm).	UG491*	1	40	51M	
610 x 460mm. Steel Cover & PP Frame [A].	UG496	1	10	51M	
610 x 460mm. Concrete Cover & PP Frame [A].	UG495	1	10	51M	

Square Chamber Cover UG510

NEW

The UG510 square cover and frame, manufactured from polypropylene for loadings up to 35kN [A+] with 65mm deep frame for ease of installation in block paving, complete with a removable 350mm restrictor ring for chambers greater than 1.2m.



Drainage


Inspection Chambers, Covers and Frames


- Polypropylene Black unless otherwise stated.







Polypipe

110mm, 150mm and 160mm Non Man Entry Deep Inspection Chambers (For use at depths exceeding 1.00m but less than 4.00m)	Code	Pack Qty.	Bulk Qty.	Product Group	
460mm. 110mm Chamber Base with 5 inlets (inc. 3 blanking plugs, base & 4 risers -1060mm high) Suitable for Single Wall Pipes.	ICDB3	1	1	51M	 ICDB3
460mm. 150mm Chamber Base with 2 x 110mm 45° inlets & 2 x 150mm 90° open inlets (inc. 2 blanking plugs, base & 4 risers -1060mm high) Suitable for Polysewer Structured Wall Pipes.	ICDB1	1	4	51M	
460mm. 160mm Chamber Base with 2 x 110mm 45° inlets & 2 x 160mm 90° inlets (inc. 4 blanking plugs, base & 4 risers - 1060mm high) Suitable for Single Wall Pipes.	ICDB2	1	4	51M	 ICDB1
460mm. Single Riser - 215mm effective height.	ICDR1	1	40	51M	
460mm. Two Riser - 430mm effective height.	ICDR2	1	16	51M	
460mm. Four Riser - 860mm effective height.	ICDR4	1	8	51M	 ICDR4
460mm. Eight Riser - 1720mm effective height.	ICDR8	1	4	51M	
460mm. Riser Sealing Ring.	UG488	1	10	51M	
460mm. Square Cover and 65mm Deep Frame Polypropylene [A+]. Complete with seal and fixing screws and 350mm restricted access (removable) for depths greater than 1.2metres.	UG510*	1	5	51M	 FRK502
460mm. Plastic Frame to Riser Fixing Kit - use 1 kit per cover (for use with UG512).	FRK502	1	10	51M	
460mm. Riser to Riser Fixing Kit - use 1 kit per riser.	FRK503	1	10	51M	 UG514
460mm. Restricted Access Reducer (reduces chamber opening to a maximum of 350mm to prevent man entry).	UG514	1	1	51M	

750mm Manhole Base	Code	Pack Qty.	Bulk Qty.	Product Group	
750mm. Circular Manhole Base 2 x 45° & 2 x 90° (MDPE) Closed Branch Inlets 160mm Spigot. (Depth not to exceed 10m).	UG616	1	5	51M	

Spare Blanking Plugs	Code	Pack Qty.	Bulk Qty.	Product Group	
110mm. Polypropylene for 110mm fits UG437, UG440, UG490 & UG670 Bases.	UG445	1	10	51M	
160mm. Polypropylene for 160mm Chamber Bases, Pipes and Fittings.	UG645	1	10	51M	

110mm, 150mm and 160mm Non Man Entry Deep Inspection Chambers (For use at depths up to 3.00m)	Code	Pack Qty.	Bulk Qty.	Product Group	
450mm dia. base with 110mm straight channel, 2 x 110mm 45° inlets & 2 x 110mm 90° inlets Supplied with 450mm riser seal & 4 x 110mm blanking plugs. Suitable for Single Wall Pipes.	SFARB3	1	1	161M	
450mm dia. base with 150mm straight channel, 2 x 110mm 45° inlets & 2 x 150mm 90° open inlets Supplied with 450mm riser seal & 2 x 110mm blanking plugs. Suitable for Polysewer Structured Wall Pipes.	SFARB1	1	1	161M	 SFARB1
450mm dia. base with 160mm straight channel, 2 x 110mm 45° inlets & 2 x 160mm 90° inlets Supplied with 450mm riser seal, 2 x 110mm & 2 x 160mm blanking plugs. Suitable for Single Wall Pipes.	SFARB2	1	1	161M	 SFARC
450mm dia. riser cap, suitable for UG510 & UG512 cover & frames. Supplied with 450mm riser seal. Compatible with UG514 restrictor ring to 350mm.	SFARC	1	1	161M	
450mm dia. riser 3m long. For use with all SFARB bases.	RSW450X3PE8	1	1	161M	 RSW450X3PE8
Spare 450mm dia. riser to base seal EPDM. For use with RSW450X3PE8.	SRSW4508	1	10	161M	


Drainage

SFA7 Inspection Chambers, Covers and Frames Polypropylene - Black unless otherwise stated



KM585205



200mm Inspection Chamber (Depth should not exceed 2.0m)	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. Side Riser (2m effective height).	SFA238	1	1	51M	 SFA210
200mm. 110mm Chamber Base with 2 connections (inlet & outlet).	SFA210	1	1	51M	
200mm. Square Cover and Frame (EN124/Class B125).	UDC200	1	1	51M	

Loading Classification for Cover and Frames

A = Equivalent to Class A15 load category of BS EN 124-1 2015 (Pedestrians & pedal cyclists only)

A+ = Tested to withstand 35kN test load (Light vehicular traffic on domestic drives)

C = Tested to withstand 10kN test load (non-vehicular traffic only)

B125 = Class B125 load category of BS EN 124-1 2015 (Driveways, Footways & Landscaped Areas)

Riser Joints: We recommend a rubber sealing ring (UG388) should be used on all 320mm dia. riser & chamber base joints. Also sealant conforming to BS EN ISO 11600 can be used for jointing the riser sections. To ensure an adequate seal it is imperative that the gap between the two fins on risers is filled excessively with sealant and any excess, following location, should be smothered around the joints.

320mm Inspection Chamber (Depth should not exceed 2.0m)	Code	Pack Qty.	Bulk Qty.	Product Group	
320mm. 110mm Chamber Base with 2 x 45° base & 6 risers – 1010mm high).	SFA430	1	1	51M	 SFA430
320mm. 110mm Chamber Base with 4 side branch inlets - 2 x 45° & 2 x 90° (inc. 3 blanking plugs base & 6 risers – 1010mm high).	SFA530	1	1	51M	
320mm. Side Riser (135mm effective height).	SFA431	1	1	51M	
320mm. Two Riser (270mm effective height).	SFA432	1	1	51M	 UDC700
320mm. Four Riser (540mm effective height).	SFA434	1	1	51M	
320mm. Seven Riser (945mm effective height).	SFA437	1	1	51M	
320mm. Riser Sealing Ring.	UG388	1	50	51M	 UG499
320mm. Ductile Iron Cover & PP Frame (EN124/Class B125).	UDC700	1	1	51M	
320mm. Circular Concrete Cover & PP Frame [A].	UG439	1	45	51M	
320mm. Square Concrete Cover & PP Frame [A].	UG499	1	45	51M	

Drainage

SFA7 Inspection Chambers, Covers and Frames Polypropylene - Black unless otherwise stated



KM585205



Loading Classification for Cover and Frames

A = Equivalent to Class A15 load category of BS EN 124-1 2015 (Pedestrians & pedal cyclists only)





A+ = Tested to withstand 35kN test load (Light vehicular traffic on domestic drives)

C = Tested to withstand 10kN test load (non-vehicular traffic only)

B125 = Class B125 load category of BS EN 124-1 2015 (Driveways, Footways & Landscaped Areas)

† A rubber sealing ring (UG488) must be used on all 460mm dia. riser and chamber base joints.


* **Riser Joints:** Sealant conforming to BS EN ISO 11600 should be used for jointing rectangular riser sections.


460mm Inspection Chamber (Depth should not exceed 3.0m)	Code	Pack Qty.	Bulk Qty.	Product Group	
460mm. 110mm Chamber Base with 5 inlets (inc. 3 blanking plugs, base & 4 risers -1060mm high) Suitable for Single Wall Pipes.	SFA440	1	1	51M	
460mm. 160mm Chamber Base with 2 x 110mm 45° inlets & 2 x 160mm 90° inlets (inc. 4 blanking plugs, base & 4 risers - 1060mm high) Suitable for Single Wall Pipes.	SFA670	1	1	51M	
460mm. 150mm Chamber Base with 2 x 110mm 45° inlets & 2 x 150mm 90° open inlets (inc. 2 blanking plugs, base & 4 risers -1060mm high) Suitable for Polysewer Structured Wall Pipes.	SFA671	1	1	51M	
460mm. Single Riser (215mm effective height).	SFA441	1	1	51M	
460mm. Two Riser (430mm effective height).	SFA442	1	1	51M	
460mm. Four Riser (860mm effective height).	SFA444	1	1	51M	
460mm. Eight Riser (1720mm effective height).	SFA448	1	1	51M	
460mm. Riser Sealing Ring.	UG488	5	50	51M	
460mm. Square Ductile Iron Cover and Frame (B125).	UG513	1	1	51M	
460mm. Ductile iron cover & frame (EN124 / Class B125).	UDC750	1	1	51M	
460mm. Restricted Access Reducer (reduces chamber opening to a maximum of 350mm to prevent man entry).	UG514	1	1	51M	
460mm. Cast Iron Cover & Cast Iron Frame [A].	UG419	1	10	51M	
460mm. Cast Iron Cover & Polypropylene Frame [A].	UG444	1	100	51M	


Drainage


Underground Ancillaries




Joint Lubricant	Code	Pack Qty.	Bulk Qty.	Product Group	
500ml bottle.	SG500	1	12	89M	
1kg Tub.	LUBX1	1	12	89M	
2.5kg Tub.	LUBX2.5	1	4	89M	


Silicone Grease	Code	Pack Qty.	Bulk Qty.	Product Group	
100g Screw top jar.	SG100	1	100	89M	
500g.	SIL500	1	30	89M	

Aerosol Lubricant	Code	Pack Qty.	Bulk Qty.	Product Group	
400ml.	SG300	1	12	89M	

Cleaning Fluid	Code	Pack Qty.	Bulk Qty.	Product Group	
250ml tin.	CF250	1	10	89M	

Solvent Cement	Code	Pack Qty.	Bulk Qty.	Product Group	
125ml tin c/w Brush (BS EN 14680:2015).	SC125	1	20	89M	
250ml tin c/w Brush (BS EN 14680:2015).	SC250	1	10	89M	

Solvent Cement	Code	Pack Qty.	Bulk Qty.	Product Group	
500ml tin (BS EN 14680:2015).	SC500	1	10	89M	

Clear Solvent Cement Filler	Code	Pack Qty.	Bulk Qty.	Product Group	
140g Tube.	GFC100	1	10	89M	

Drainage

Polysewer Gravity Sewer System - PVCu

Terracotta brown unless otherwise stated



Polypipe

Pipe - Higher Stiffness Class 8	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. 6m Plain Ended.	PS660	1	46	160E	
150mm. 6m Integral Socket.	PS662	1	46	160E	
150mm. 3m Plain Ended.	PS630	1	46	160E	
150mm. 3m Integral Socket.	PS632	1	46	160E	
225mm. 6m Plain Ended.	PS1060	1	23	160E	
225mm. 6m Integral Socket.	PS1062	1	23	160E	
225mm. 3m Plain Ended.	PS1030	1	23	160E	
225mm. 3m Integral Socket.	PS1032	1	23	160E	
300mm. 6m Plain Ended.	PS1260	1	8	160E	
300mm. 6m Integral Socket.	PS1262	1	8	160E	
300mm. 3m Plain Ended.	PS1230	1	8	160E	
300mm. 3m Integral Socket.	PS1232	1	8	160E	



PS662

Couplers	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. Pipe Coupler.	PS601	1	10	161M	
150mm. Slip Coupler.	PS600	1	10	161M	
225mm. Pipe Coupler.	PS1001	1	1	161M	
225mm. Slip Coupler.	PS1000	1	1	161M	
300mm. Pipe Coupler.	PS1201	1	1	161M	
300mm. Slip Coupler.	PS1200	1	1	161M	



PS601

Reducers	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. 150mm x 110mm Level Invert.	*PS621	1	1	161M	
225mm. 225mm x 150mm Level Invert.	PS1021	1	1	161M	
300mm. 300mm x 225mm Level Invert.	PS1221	1	1	161M	



Triple Socket Equal Junctions	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. 45° Equal Junction.	PS605	1	5	161M	
150mm. 90° Equal Junction.	PS623	1	5	161M	
225mm. 45° Equal Junction.	PS1005	1	1	161M	
300mm. 45° Equal Junction.	PS1205	1	1	161M	



PS605

* Available from April 2018.



Drainage

Polysewer Gravity Sewer System - PVCu

Terracotta brown unless otherwise stated






Polypipe

Triple Socket Unequal Junctions (45° unless stated)	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm x 110mm EN1401-1.	PS635RS	1	5	161M	
150mm x 110mm EN1401-1 (92½°).	PS643RS	1	5	161M	
225mm x 110mm EN1401-1.	PS1035RS	1	1	161M	
225mm x 150mm.	PS1031	1	1	161M	
225mm x 160mm EN1401-1.	PS1031RS	1	1	161M	
300mm x 110mm EN1401-1.	PS1235RS	1	1	161M	
300mm x 150mm.	PS1231	1	1	161M	
300mm x 160mm EN1401-1.	PS1231RS	1	1	161M	
300mm x 225mm.	PS12100	1	1	161M	

PS635RS


PS1231


Double Socket Short Radiused Bends	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. 90° Bend.	PS611	1	5	161M	
150mm. 45° Bend.	PS603	1	10	161M	
150mm. 30° Bend.	PS667	1	10	161M	
150mm. 15° Bend.	PS609	1	10	161M	
225mm. 90° Bend.	PS1011	1	1	161M	
225mm. 45° Bend.	PS1003	1	1	161M	
225mm. 30° Bend.	PS1067	1	1	161M	
225mm. 15° Bend.	PS1009	1	1	161M	
300mm. 90° Bend.	PS1211	1	1	161M	
300mm. 45° Bend.	PS1203	1	1	161M	
300mm. 30° Bend.	PS1267	1	1	161M	
300mm. 15° Bend.	PS1209	1	1	161M	

PS611

PS603

PS667

Rodding Eye	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. Sealed oval top (Aluminium) 45°.	PS622S	1	8	161M	

150mm Chamber Base 460mm diameter	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. 150mm Main Channel 2 x 110mm inlets 45°, 2 x 150mm inlets 90°. Use with standard 460mm risers (UG431) and covers.	PS670	1	8	161M	

Drainage

Polysewer Gravity Sewer System - PVCu

Terracotta brown unless otherwise stated



Polypipe

Adaptors	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. Double Socket to Super Clayware Pipe.	PS634	1	20	161M	
150mm. Double Socket to Thick Clayware Pipe.	PS696	1	20	161M	
For connection to 225mm clay pipes use flexible connector XAC160/230. For connection to 300mm clay pipes use flexible connector XAC160/320.					
150mm. Double Socket to EN1401-1 Pipe (160mm).	PS689	1	10	161M	
225mm. Double Socket to EN1401-1 Pipe (250mm).	PS1089	1	1	161M	
300mm. Double Socket to EN1401-1 Pipe (315mm).	PS1289	1	1	161M	
225mm. Single Socket to EN1401-1 Socket (250mm).	PS10102	1	1	161M	
300mm. Single Socket to EN1401-1 Socket (315mm).	PS12102	1	1	161M	



PS634



PS689

Ultrarib Adaptor	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. Double Socket.	PS6105	1	10	161M	
225mm. Double Socket.	PS10105	1	1	161M	
300mm. Double Socket.	PS12105	1	1	161M	



Ultrarib Adaptor Seals (for using Polysewer in Ultrarib Sockets)	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. Adaptor Seal.	*PSUR150	1	10	161M	
225mm. Adaptor Seal.	PSSP2	1	10	161M	
300mm. Adaptor Seal.	*PSUR300	1	10	161M	



End Caps	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm.	PS6101	1	10	161M	
225mm.	PS10101	1	1	161M	
300mm.	PS12101	1	1	161M	



Socket Plug	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm.	PS620	1	10	161M	
225mm.	PS1020	1	1	161M	
300mm.	PS1220	1	1	161M	



Spare Polysewer Seals	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm.	PSSP1	1	10	161M	
225mm.	PSSP2	1	10	161M	
300mm.	PSSP3	1	10	161M	



* Available from April 2018.


Drainage

Polysewer Gravity Sewer System - PVCu

Terracotta brown unless otherwise stated



 **Polypipe**

Snap Cap and Seals	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. To accept EN1401-1 solid wall pipes and to adapt to 90° junctions for use with PS623, PS643RS, PS634, PS696, PS6225 & PS670.	PS6104	1	10	161M	
150mm. To accept EN1401-1 solid wall pipes and to adapt to 90° bends & 45° unequal junctions.	PS6103	1	10	161M	
150mm. To accept 150mm Polysewer pipes - for converting ICDB2.	PSC1	1	10	161M	

Drainage


Sewerdrain Gravity Sewer System - PVCu


Terracotta brown unless otherwise stated




KM06383

 **Polypipe**

Single Socket Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 3m length.	UG832	1	23	52E	
200mm. 6m length.	UG862	1	23	52E	
250mm. 3m length.	UG1032	1	14	52E	
250mm. 6m length.	UG1062	1	14	52E	
315mm. 3m length.	UG1232	1	8	52E	
315mm. 6m length.	UG1262	1	8	52E	

Plain Ended Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 3m length.	UG830	1	23	52E	
200mm. 6m length.	UG860	1	23	52E	
250mm. 3m length.	UG1030	1	14	52E	
250mm. 6m length.	UG1060	1	14	52E	
315mm. 3m length.	UG1230	1	8	52E	
315mm. 6m length.	UG1260	1	8	52E	

Perforated Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 6m single socketed.	UG869	1	23	52E	
250mm. 6m single socketed.	UG1069	1	14	52E	
315mm. 6m single socketed.	UG1269	1	8	52E	

Manhole Connector	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 600mm length Sand coated one end.	UGT899	1	1	52E	MADE TO ORDER IN 14 DAYS
250mm. 600mm length Sand coated one end.	UGR1099	1	1	52E	
315mm. 600mm length Sand coated one end.	UGR1299	1	1	52E	

Couplers	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. Double Socket (Remove Centre Stop for use as Slip Coupling).	UG801	1	10	53M	 UG801
250mm. Double Socket (Remove Centre Stop for use as Slip Coupling).	UG1001	1	5	53M	
315mm. Double Socket.	UG1201	1	1	53M	
315mm. Slip Coupler (Double Socket).	UG1200	1	1	53M	

Drainage




Sewerdrain Gravity Sewer System - PVCu


Terracotta brown unless otherwise stated






KM06383

Polypipe

Single Socket Bends	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 87½° Single Socket.	UG812	1	1	53M	 UG812
200mm. 45° Single Socket.	UG804	1	1	53M	
200mm. 30° Single Socket.	UG868	1	1	53M	
200mm. 15° Single Socket.	UG810	1	1	53M	 UG804
250mm. 87½° Single Socket.	UG1012	1	1	53M	
250mm. 45° Single Socket.	UG1004	1	1	53M	
250mm. 30° Single Socket.	UG1068	1	1	53M	 UG868
250mm. 15° Single Socket.	UG1010	1	1	53M	
315mm. 87½° Single Socket.	UG1212	1	1	53M	
315mm. 45° Single Socket.	UG1204	1	1	53M	
315mm. 30° Single Socket.	UG1268	1	1	53M	
315mm. 15° Single Socket.	UG1210	1	1	53M	

Double Socket Bends	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 45° Double Socket.	UG803	1	1	53M	
200mm. 15° Double Socket.	UG809	1	1	53M	

Equal Junctions	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 45° Double Socket.	UG806	1	1	53M	 UG806
200mm. 45° Triple Socket.	UG805	1	1	53M	
250mm. 45° Double Socket.	UG1006	1	1	53M	
315mm. 45° Double Socket.	UG1206	1	1	53M	

Unequal Junctions	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm. 45° Double Socket (110mm).	UG836	1	1	53M	 UG836
200mm. 45° Double Socket (160mm).	UG837	1	1	53M	
200mm. 45° Triple Socket (110mm).	UG835	1	1	53M	
200mm. 45° Triple Socket (160mm).	UG831	1	1	53M	
250mm. 45° Double Socket (110mm).	UG1036	1	1	53M	 UG831
250mm. 45° Double Socket (160mm).	UG1016	1	1	53M	
250mm. 45° Double Socket (200mm).	UG1017	1	1	53M	
315mm. 45° Double Socket (110mm).	UG1236	1	1	53M	
315mm. 45° Double Socket (160mm).	UG1216	1	1	53M	
315mm. 45° Double Socket (200mm).	UG1217	1	1	53M	
315mm. 45° Double Socket (250mm).	UG1218	1	1	53M	

Drainage

Sewerdrain Gravity Sewer System - PVCu

Terracotta brown unless otherwise stated



KM06383



Plain Socket Plugs	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm.	UG820	1	1	53M	
250mm.	UG1020	1	1	53M	
315mm.	UG1220	1	1	53M	



Level Invert Reducers	Code	Pack Qty.	Bulk Qty.	Product Group	
200mm Spigot x 160mm Socket	UG821	1	1	53M	
250mm Spigot x 200mm Socket	UG1021	1	1	53M	
315mm Spigot x 250mm Socket	UG1221	1	1	53M	



Drainage

Flexicon - Flexible Rubber Couplers and Adaptors



EN
295-4,
Shear Band
Couplings

WIS
4-41-01
EPDM Rubber

EN
681-1
EPDM Rubber

KM506831

KM506832

KM37955



Flexicon Universal Adaptors (XAC)	Code	Pack Qty.	Screwdriver Size	Product Group	
Range A/B mm	Min Length C mm				
120-135/100-115.	100	XAC400	1	7mm / 7mm	107M
180-200/160-180.	150	XAC600	1	8mm / 8mm	107M
260-285/180-205.	150	XAC800	1	8mm / 8mm	107M



XAC400

Flexicon Universal Adaptors (XAC)	Code	Pack Qty.	Screwdriver Size	Product Group	
Range A/B mm	Min Length C mm				
100-115/75-85.	100	XAC85/115	1	7mm / 7mm	107M
100-115/85-95.	100	XAC95/115	1	7mm / 7mm	107M
130-145/110-125.	120	XAC125/145	1	7mm / 7mm	107M
145-160/110-125.	120	XAC125/160	1	7mm / 7mm	107M
145-160/125-140.	120	XAC140/160	1	7mm / 7mm	107M
150-165/100-115.	120	XAC115/165	1	7mm / 7mm	107M
160-175/110-125.	120	XAC125/175	1	7mm / 7mm	107M
170-185/145-160.	120	XAC160/185	1	7mm / 7mm	107M
175-190/110-125.	120	XAC125/190	1	7mm / 7mm	107M
175-190/125-140.	120	XAC140/190	1	7mm / 7mm	107M
180-195/160-175.	120	XAC175/195	1	7mm / 7mm	107M
190-205/110-125.	150	XAC125/205	1	8mm / 7mm	107M
195-210/160-175.	150	XAC175/210	1	8mm / 7mm	107M
215-230/125-140.	150	XAC140/230	1	8mm / 7mm	107M
215-230/145-160.	150	XAC160/230	1	8mm / 7mm	107M
213-230/175-190.	150	XAC190/230	1	8mm / 8mm	107M
230-245/125-140.	150	XAC140/245	1	8mm / 7mm	107M
230-245/145-160.	150	XAC160/245	1	8mm / 7mm	107M
230-245/175-190.	150	XAC190/245	1	8mm / 8mm	107M
245-260/145-160.	150	XAC160/260	1	8mm / 7mm	107M
245-260/175-190.	150	XAC190/260	1	8mm / 8mm	107M
265-280/145-160.	150	XAC160/280	1	8mm / 8mm	107M
260-285/240-265.	150	XAC900	1	8mm / 8mm	107M
305-320/145-160.	150	XAC160/320	1	8mm / 8mm	107M
305-320/175-190.	150	XAC190/320	1	8mm / 8mm	107M



XAC85

Drainage

Flexicon - Flexible Rubber Couplers and Adaptors



 **Polypipe**

Flexicon Plumbing Adaptors (XPA)		Code	Pack Qty.	Screwdriver Size	Product Group	 XPA50
Range A/B mm	Min Length C mm					
50-65/30-45.	80	XPA45/65	1	7mm / 7mm	107M	
80-95/45-50.	100	XPA50/95	1	7mm / 7mm	107M	
100-115/45-50.	100	XPA50/115	1	7mm / 7mm	107M	
80-95/50-65.	100	XPA65/95	1	7mm / 7mm	107M	
100-115/50-65.	100	XPA65/115	1	7mm / 7mm	107M	



XPA50

Flexicon Drain Couplings (XDR)		Code	Pack Qty.	Screwdriver Size	Product Group	 XDR115
Range A/B mm	Min Length C mm					
50-65.	95	XDR65	1	7mm	107M	
70-85.	110	XDR85	1	7mm	107M	
80-95.	110	XDR95	1	7mm	107M	
100-115.	110	XDR115	1	7mm	107M	
110-125.	120	XDR125	1	7mm	107M	
120-135.	120	XDR135	1	7mm	107M	
135-150.	120	XDR150	1	7mm	107M	
150-165.	120	XDR165	1	7mm	107M	
160-175.	120	XDR175	1	7mm	107M	
160-180.	120	XDR180	1	7mm	107M	
175-200.	150	XDR200	1	8mm	107M	
200-215.	150	XDR215	1	8mm	107M	
200-225.	150	XDR225	1	8mm	107M	
225-250.	150	XDR250	1	8mm	107M	
250-275.	150	XDR275	1	8mm	107M	



XDR115

Drainage

Flexicon - Flexible Rubber Couplers and Adaptors



 **Polypipe**

Flexicon Shear Band Standard Couplings (XSB)		Code	Pack Qty.	Screwdriver Size	Product Group	
Range A/B mm	Min Length C mm					
100-115.	120	XSB115	1	8mm	107M	
110-125.	120	XSB125	1	8mm	107M	
120-135.	120	XSB135	1	8mm	107M	
135-150.	120	XSB150	1	8mm	107M	
150-165.	120	XSB165	1	8mm	107M	
160-175.	120	XSB175	1	8mm	107M	
160-180.	120	XSB180	1	8mm	107M	
175-200.	150	XSB200	1	8mm	107M	
190-215.	150	XSB215	1	8mm	107M	
200-225.	150	XSB225	1	8mm	107M	
225-250.	150	XSB250	1	8mm	107M	
250-275.	150	XSB275	1	8mm	107M	
265-290.	150	XSB290	1	8mm	107M	
285-310.	190	XSB310	1	8mm	107M	
295-320.	190	XSB320	1	8mm	107M	
305-335.	190	XSB335	1	8mm	107M	
315-345.	190	XSB345	1	8mm	107M	
345-360.	190	XSB360	1	8mm	107M	
360-385.	190	XSB385	1	8mm	107M	
385-410.	190	XSB410	1	8mm	107M	



XSB115


Drainage

Flexicon - Flexible Rubber Couplers and Adaptors



KM506831 KM506832 KM37955



Flexicon End Caps (XST)		Code	Pack Qty.	Screwdriver Size	Product Group	 XST115
Range A/B mm	Min Length C mm					
20-32.		XST32	1	7mm	107M	
30-42.		XST42	1	7mm	107M	
40-50.		XST50	1	7mm	107M	
50-65.		XST65	1	7mm	107M	
80-95.		XST95	1	7mm	107M	
100-115.		XST115	1	7mm	107M	
110-125.		XST125	1	7mm	107M	
120-135.		XST135	1	7mm	107M	
135-150.		XST150	1	7mm	107M	
145-160.		XST160	1	7mm	107M	
165-180.		XST180	1	7mm	107M	
185-200.		XST200	1	8mm	107M	
200-215.		XST215	1	8mm	107M	

Flexidriver (Flexible Screwdriver)	Code	Pack Qty.	Screwdriver Size	Product Group	
7mm Flexidriver.	XFD700	1		107M	
8mm Flexidriver.	XFD800	1		107M	
8mm Ridgidriver.	XTB800	1		107M	

Drainage

Flexicon Reducing Bushes



Flexicon Reducing Bushes (XBC)	Code	Pack Qty.	Screwdriver Size	Product Group	
11 - 16mm. Fits coupling XDR65 .	XBC17/19	1		107M	
15 - 20mm. Fits coupling XDR65 .	XBC21/17	1		107M	
20 - 25mm. Fits coupling XDR65 .	XBC26/14	1		107M	
30 - 37mm. Fits coupling XDR65 .	XBC37/09	1		107M	
35 - 40mm. Fits coupling XDR65 .	XBC43/06	1		107M	
55 - 65mm. Fits coupling XSB115 .	XBC65/23	1		107M	
65 - 76mm. Fits coupling XSB115 .	XBC76/17	1		107M	
85 - 95mm. Fits coupling XSB115 .	XBC95/08	1		107M	
55 - 65mm. Fits coupling XSB120 .	XBC65/27	1		107M	
82 - 92mm. Fits coupling XSB120 .	XBC95/12	1		107M	
92.5 - 98mm. Fits coupling XSB115 .	XBC95/05	1		107M	
95 - 105mm. Fits coupling XSB115 .	XBC105/05	1		107M	
105 - 115mm. Fits coupling XSB125 .	XBC115/05	1		107M	
115 - 125mm. Fits coupling XSB135 .	XBC125/05	1		107M	
73 - 82mm. Fits coupling XDR95 .	XBC85/08	1		107M	
83 - 92mm. Fits coupling XSB115 .	XBC90/08	1		107M	
95 - 105mm. Fits coupling XSB120 .	XBC105/08	1		107M	
107 - 117mm. Fits coupling XSB135 .	XBC120/08	1		107M	
125 - 135mm. Fits coupling XSB150 .	XBC140/08	1		107M	
140 - 150mm. Fits coupling XSB165 .	XBC150/08	1		107M	
150 - 160mm. Fits coupling XSB175 .	XBC165/08	1		107M	
175 - 185mm. Fits coupling XSB200 .	XBC184/08	1		107M	
175 - 185mm. Fits coupling XSB200 .	XBC190/08	1		107M	
200 - 210mm. Fits coupling XSB225 .	XBC215/08	1		107M	
225 - 235mm. Fits coupling XSB250 .	XBC245/08	1		107M	
245 - 255mm. Fits coupling XSB275 .	XBC255/08	1		107M	
110 - 120mm. Fits coupling XSB135 .	XBC125/08	1		107M	
110 - 120mm. Fits coupling XSB150 .	XBC125/16	1		107M	
125 - 135mm. Fits coupling XSB165 .	XBC135/16	1		107M	
135 - 145mm. Fits coupling XSB175 .	XBC150/16	1		107M	
160 - 170mm. Fits coupling XSB200 .	XBC168/16	1		107M	
160 - 170mm. Fits coupling XSB215 .	XBC175/16	1		107M	
185 - 195mm. Fits coupling XSB225 .	XBC200/16	1		107M	
210 - 220mm. Fits coupling XSB250 .	XBC230/16	1		107M	



XBC115

Drainage

Flexicon Reducing Bushes



Flexicon Reducing Bushes (XBC)	Code	Pack Qty.	Screwdriver Size	Product Group	
230 - 240mm. Fits coupling XSB275 .	XBC240/16	1		107M	
170 - 180mm. Fits coupling XSB225 .	XBC185/24	1		107M	
190 - 200mm. Fits coupling XSB250 .	XBC210/24	1		107M	
205 - 215mm. Fits coupling XSB250 .	XBC225/16	1		107M	
210 - 220mm. Fits coupling XSB275 .	XBC225/24	1		107M	
265 - 275mm. Fits coupling XSB290 .	XBC275/08	1		107M	



XBC115

We offer a Flexicon fabrication service on Reducing Bushes with a 4-6 week turnaround time!

Flexicon Fabricated Bushes (XBC)		Code	Pack Qty.	Screwdriver Size	Product Group	
Range A/B mm	Nominal Thickness mm					
200-299.	8.	XBC200/08S	1			
300-399.	8.	XBC300/08S	1			
400-499.	8.	XBC400/08S	1			
200-299.	16.	XBC200/16S	1			
300-399.	16.	XBC300/16S	1			
400-499.	16.	XBC400/16S	1			
300-399.	24.	XBC300/24S	1			
400-499.	24.	XBC400/24S	1			
300-399.	24.	XBC300/32S	1			
400-499.	32.	XBC400/32S	1			

MADE TO ORDER
IN 14 DAYS

Water Supply

Water Service Pipes MDPE PE80



KM85017

Polypipe

MDPE PE80 12 Bar Pressure Pipe	Code	Pack Qty.	Bulk Qty.	Colour	Product Group	
20mm x 25m Coil. 0.13kg/m, 2.3mm.	2025	1	22		70E	
20mm x 50m Coil. 0.13kg/m, 2.3mm.	2050	1	10		70E	
20mm x 100m Coil. 0.13kg/m, 2.3mm.	20100	1	6		70E	
20mm x 150m Coil. 0.13kg/m, 2.3mm.	20150	1	6		70E	
25mm x 25m Coil. 0.17kg/m, 2.3mm.	2525	1	8		70E	
25mm x 50m Coil. 0.17kg/m, 2.3mm.	2550	1	7		70E	
25mm x 100m Coil. 0.17kg/m, 2.3mm.	25100	1	6		70E	
25mm x 150m Coil. 0.17kg/m, 2.3mm.	25150	1	6		70E	
32mm x 25m Coil. 0.28kg/m, 3.0mm.	3225	1	9		70E	
32mm x 50m Coil. 0.28kg/m, 3.0mm.	3250	1	6		70E	
32mm x 100m Coil. 0.28kg/m, 3.0mm.	32100	1	5		70E	
32mm x 150m Coil. 0.28kg/m, 3.0mm.	32150	1	5		70E	
40mm x 50m Coil. 0.43kg/m, 3.0mm.	4050	1	1		70E	
40mm x 100m Coil. 0.43kg/m, 3.0mm.	40100	1	1		70E	
50mm x 6m Length. 0.67kg/m, 4.6mm.	5006	1	1		70E	
50mm x 25m Coil. 0.67kg/m, 4.6mm.	5025	1	1		70E	
50mm x 50m Coil. 0.67kg/m, 4.6mm.	5050	1	1		70E	
50mm x 100m Coil. 0.67kg/m, 4.6mm.	50100	1	1		70E	
50mm x 150m Coil. 0.67kg/m, 4.6mm.	50150	1	1		70E	
63mm x 6m Length. 1.05kg/m, 5.8mm.	6306	1	1		70E	
63mm x 25m Coil. 1.05kg/m, 5.8mm.	6325	1	1		70E	
63mm x 50m Coil. 1.05kg/m, 5.8mm.	6350	1	1		70E	
63mm x 100m Coil. 1.05kg/m, 5.8mm.	63100	1	1		70E	
63mm x 150m Coil. 1.05kg/m, 5.8mm.	63150	1	1		70E	

MDPE PE80 8 Bar Pressure Pipe	Code	Pack Qty.	Bulk Qty.	Colour	Product Group	
50mm x 50m Coil. 0.40kg/m, 2.9mm.	500850B	1	1		70E	
50mm x 100m Coil. 0.40kg/m, 2.9mm.	5008100B	1	1		70E	
63mm x 50m Coil. 0.64kg/m, 3.6mm.	630850B	1	1		70E	
63mm x 100m Coil. 0.64kg/m, 3.6mm.	6308100B	1	1		70E	


Water Supply


Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron





KM85017


Polypipe

Straight Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	40020	10	100	79M	
25mm.	40025	10	50	79M	
32mm.	40032	5	50	79M	
40mm.	40040	2	50	79M	
50mm.	40050	2	20	79M	
63mm.	40063	2	20	79M	

Slip/Repair Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	40020S	10	100	79M	
25mm.	40025S	10	50	79M	
32mm.	40032S	5	50	79M	
40mm.	40040S	2	50	79M	
50mm.	40050S	2	20	79M	
63mm.	40063S	2	20	79M	

Polylink Straight Universal Transition Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 15/22mm.	4841522	1	10	79M	
25mm x 21/27mm.	4842127	1	10	79M	
25mm x 27/35mm.	4842735	1	10	79M	
32mm x 27/35mm.	4882735	1	10	79M	

Polylink 90° Bent Universal Transition Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 15/22mm.	4851522	1	10	79M	
25mm x 21/27mm.	4852127	1	10	79M	
25mm x 27/35mm.	4852735	1	10	79M	

Reducing Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 20mm	40625	10	100	79M	
32mm x 20mm	4063220	5	10	79M	
32mm x 25mm	40632	5	10	79M	
40mm x 32mm	40640	2	10	79M	
50mm x 32mm	4065032	2	10	79M	
50mm x 40mm	40650	2	10	79M	


Water Supply


Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron





KM85017


 **Polypipe**

Metric to Imperial Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2".	48120	10	10	79M	
25mm x 1/2".	4812512	10	10	79M	
25mm x 3/4".	48125	10	10	79M	

Imperial Male Iron x PE Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
1/2" BSP x 20mm	49012	10	10	79M	
3/4" BSP x 25mm	49034	10	10	79M	
1" BSP x 32mm	4901	5	10	79M	

Copper/ Polybutylene Adaptor	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 15mm (1/2").	47820	10	10	79M	
25mm x 15mm (1/2").	4782515	10	10	79M	
25mm x 22mm (3/4").	47825	10	10	79M	
32mm x 22mm (3/4").	4783222	5	5	79M	
32mm x 28mm (1").	47832	5	5	79M	

Female Adaptor	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP.	40320	10	100	79M	
25mm x 1/2" BSP.	4032512	10	100	79M	
25mm x 3/4" BSP.	40325	10	100	79M	
32mm x 1" BSP.	40332	5	100	79M	
40mm x 1 1/4" BSP.	40340	2	100	79M	
50mm x 1 1/2" BSP.	40350	2	50	79M	
63mm x 2" BSP.	40363	2	50	79M	

Male Adaptor	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP.	40420	10	150	79M	
25mm x 1/2" BSP.	4042512	10	100	79M	
25mm x 3/4" BSP.	40425	10	100	79M	
32mm x 1" BSP.	40432	5	100	79M	
40mm x 1 1/4" BSP.	40440	2	50	79M	
50mm x 1 1/2" BSP.	40450	2	50	79M	
63mm x 2" BSP.	40463	2	50	79M	

Water Supply

Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron



KM85017

Polypipe

Elbow	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	40120	10	100	79M	
25mm.	40125	10	100	79M	
32mm.	40132	5	50	79M	
40mm.	40140	2	50	79M	
50mm.	40150	2	20	79M	
63mm.	40163	2	20	79M	

Reducing Elbow	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm. 25mm x 20mm 90° Reducing.	4012520	10	10	79M	

Reducing Female Elbow	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP Female.	42120	10	100	79M	
25mm x 3/4" BSP Female.	42125	10	100	79M	
32mm x 1" BSP Female.	42132	5	50	79M	
40mm x 1 1/4" BSP Female.	42140	2	50	79M	
50mm x 1 1/2" BSP Female.	42150	2	20	79M	
63mm x 2" BSP Female.	42163	2	20	79M	

Tank Connector	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 3/4" BSP.	42525	10	150	79M	

Reducing Male Elbow	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP Male.	42320	10	100	79M	
25mm x 3/4" BSP Male.	42325	10	100	79M	
32mm x 1" BSP Male.	42332	10	50	79M	

Equal Tee	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	40220	10	100	79M	
25mm.	40225	10	50	79M	
32mm.	40232	5	20	79M	
40mm.	40240	2	20	79M	
50mm.	40250	2	20	79M	
63mm.	40263	1	20	79M	

Water Supply

Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron



KM85017

Polypipe

Branch Reducing Tee	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 20mm.	41125	10	100	79M	
32mm x 20mm.	4113220	5	50	79M	
32mm x 25mm.	41132	5	50	79M	

BSP Branch Tee	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP Female.	42220	10	100	79M	
25mm x 3/4" BSP Female.	42225	10	100	79M	
32mm x 1" BSP Female.	42232	5	50	79M	
40mm x 1 1/4" BSP Female.	42240	2	20	79M	
50mm x 1 1/2" BSP Female.	42250	2	20	79M	
63mm x 2" BSP Female.	42263	1	20	79M	
20mm x 1/2" BSP Male.	42420	10	100	79M	
25mm x 3/4" BSP Male.	42425	10	100	79M	

End Plug	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	40920	10	150	79M	
25mm.	40925	10	150	79M	
32mm.	40932	5	150	79M	
40mm.	40940	2	50	79M	
50mm.	40950	2	50	79M	
63mm.	40963	2	50	79M	

Stop End	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	30920	10	200	79M	
25mm.	30925	10	200	79M	
32mm.	30932	5	50	79M	
40mm.	30940	2	50	79M	
50mm.	30950	2	50	79M	
63mm.	30963	2	50	79M	

Water Supply

Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron



KM85017

Polyfast Polyethylene Compression Fittings



Plastic Pipe Stiffener 8 Bar Plastic Pipe Stiffener	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	46420	10	500	79M	
25mm.	46425	10	500	79M	
32mm.	46432	10	500	79M	
40mm.	46440	10	250	79M	
50mm.	46450	10	200	79M	
63mm.	46463	10	100	79M	
50mm. 8 Bar Stiffener.	47450	10	10	79M	
63mm. 8 Bar Stiffener.	47463	10	10	79M	



MDPE High Flow Reducing Set	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 20mm.	4802520	10	10	79M	
32mm x 20mm.	4803220	5	5	79M	
32mm x 25mm.	4803225	5	5	79M	
50mm x 20mm.	4805020	5	5	79M	
50mm x 25mm.	4805025	5	5	79M	
50mm x 32mm.	4805032	5	5	79M	
63mm x 20mm.	4806320	5	5	79M	
63mm x 25mm.	4806325	5	5	79M	
63mm x 32mm.	4806332	5	5	79M	
63mm x 50mm.	4806350	5	5	79M	



MDPE Reducing Set	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 20mm.	4712520	10	10	79M	
32mm x 20mm.	4713220	5	5	79M	
32mm x 25mm.	4713225	5	5	79M	
50mm x 20mm.	4715020	5	5	79M	
50mm x 25mm.	4715025	5	5	79M	
50mm x 32mm.	4715032	5	5	79M	
63mm x 20mm.	4716320	5	5	79M	
63mm x 25mm.	4716325	5	5	79M	
63mm x 32mm.	4716332	5	5	79M	
63mm x 50mm.	4716350	5	5	79M	



Water Supply


Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron





KM85017


Polyfast Polyethylene Compression Fittings




Copper Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 15mm Cu.	46820	10	250	79M	
25mm x 15mm Cu.	4682515	10	250	79M	
25mm x 22mm Cu.	46825	10	250	79M	
32mm x 28mm Cu.	46832	5	250	79M	

Lead Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 3/8" 5lb.	46920	10	250	79M	
25mm x 1/2" 7lb.	46925	10	250	79M	
25mm x 3/4" 9lb.	46932	5	200	79M	
32mm x 3/4" 11lb.	469329	5	100	79M	
40mm x 1" 16lb.	46940	2	100	79M	

Wider Tolerance Lead Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 3/8" 5lb.	479385	10	10	79M	
25mm x 1/2" 7lb.	479127	10	10	79M	
25mm x 1/2" 9lb.	479129	10	10	79M	
25mm x 3/4" 9lb.	479349	10	10	79M	
32mm x 3/4" 11lb.	4793411	5	10	79M	
32mm x 1" 16lb.	479116	5	10	79M	

Mid Blue Polyethylene Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2".	465C12	10	250	79M	
25mm x 3/4".	465C34	10	250	79M	
32mm x 1".	465C1	10	150	79M	
50mm, 50mm x 1 1/4".	465C114	2	150	79M	
50mm, 50mm x 1 1/2".	465C112	2	100	79M	
63mm, 63mm x 2".	465C2	2	100	79M	

Low Density BS1972:1967
Class C. To connect 3/8"
use 1/2" 467NG12
with 20mm Nut and Body

Light Green Polyethylene Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 1/2".	465D12	10	250	79M	
25mm x 3/4".	465D34	10	250	79M	
32mm x 1".	465D1	10	250	79M	
50mm x 1 1/4".	465D114	2	150	79M	
50mm x 1 1/2".	465D112	2	100	79M	

Low Density BS1972:1967
Class D

Water Supply

Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron



KM85017

Polypipe

Dark Blue Polyethylene Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2".	466C12	10	250	79M	
25mm x 3/4".	466C34	10	250	79M	
32mm x 1".	466C1	10	250	79M	
50mm x 1 1/4".	466C114	2	150	79M	
50mm x 1 1/2".	466C112	2	100	79M	
63mm x 2".	466C2	2	80	79M	

High Density BS3284:1967
Class C



Dark Green Polyethylene Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 3/8".	466D38	10	250	79M	
20mm x 1/2".	466D12	10	250	79M	
25mm x 3/4".	466D34	10	250	79M	
32mm x 1".	466D1	10	200	79M	
50mm x 1 1/4".	466D114	2	100	79M	
50mm x 1 1/2".	466D112	2	100	79M	
63mm x 2".	466D2	2	80	79M	

High Density BS3284:1967
Class D



Red Polyethylene Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2".	467NG12	10	10	79M	
25mm x 3/4".	467NG34	10	10	79M	
32mm x 1".	467NG1	10	10	79M	
50mm x 1 1/4".	467NG114	2	2	79M	
50mm x 1 1/2".	467NG112	2	2	79M	
63mm x 2".	467NG2	2	2	79M	

Low Density BS1972:1961
Normal Gauge IS134:1977



Light Blue Polyethylene Adaptor Set	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2".	467HG12	10	250	79M	
25mm x 3/4".	467HG34	10	250	79M	
32mm x 1".	467HG1	10	250	79M	
50mm x 1 1/4".	467HG114	2	150	79M	
50mm x 1 1/2".	467HG112	2	150	79M	

Low Density BS1972:1961
Heavy Gauge IS134:1977



PVC BS3506/6 Galvanised Iron BS1387	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 3/8".	4722038	10	10	79M	
25mm x 1/2".	4722512	10	10	79M	
32mm x 3/4".	4723234	10	10	79M	
40mm x 1".	47240	5	10	79M	



Water Supply

Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron



KM85017

Polypipe

Bibtap Wall Flange (DZR Brass)	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP.	41320	2	10	79M	
25mm x 1/2" BSP.	41325	2	10	79M	
25mm x 3/4" BSP.	4132534	2	10	79M	

Bibtap Wall Flange (Plastic)	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 1/2" BSP.	48320	2	10	79M	
25mm x 1/2" BSP.	4832512	2	10	79M	
25mm x 3/4" BSP.	48325	2	10	79M	

Gunmetal Stop Cock	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	41020	2	10	79M	
25mm.	41025	2	10	79M	
32mm.	41032	1	10	79M	
1 1/2" F.I.	31050	1	1	79M	
2" F.I.	31063	1	1	79M	

Plastic Stop Cock	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	42620	2	50	79M	
25mm.	42625	2	50	79M	
32mm.	42632	1	10	79M	

Square Drive Stop Cock (Engineering Plastic)	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	49120	2	10	79M	
25mm.	49125	2	10	79M	

Stop Cock	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 15mm (1/2") Copper.	47720	2	50	79M	
25mm x 15mm (1/2") Copper.	4772515	2	50	79M	
25mm x 22mm (3/4") Copper.	47725	2	50	79M	

Double Check Valve	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm.	47620	1	100	79M	
25mm.	47625	1	50	79M	
32mm.	47632	1	50	79M	


Water Supply


Adaptable for Polyethylene, Lead,
Copper, PVC and Galvanised Iron




KM85017

Polypipe

Single Union Ball Valve	Code	Pack Qty.	Bulk Qty.	Product Group	
½" F.I.	47312	2	10	79M	
¾" F.I.	47334	2	10	79M	
1" F.I.	4731	2	10	79M	

Threaded Reducing Bush	Code	Pack Qty.	Bulk Qty.	Product Group	
¾" x ½" BSP.	4703412	10	10	79M	
1" x ½" BSP.	470112	10	10	79M	
1" x ¾" BSP.	470134	10	10	79M	
1¼" x 1" BSP.	4701141	5	10	79M	
1½" x ½" BSP.	47011212	5	10	79M	
1½" x ¾" BSP.	47011234	5	10	79M	
1½" x 1" BSP.	4701121	5	10	79M	
1½" x 1¼" BSP.	470112114	2	10	79M	
2" x ½" BSP.	470212	2	10	79M	
2" x ¾" BSP.	470234	2	10	79M	
2" x 1" BSP.	47021	2	10	79M	
2" x 1½" BSP.	4702112	2	10	79M	
3" x 2" BSP.	47032	1	10	79M	
4" x 3" BSP.	47043	1	10	79M	


Spigot Reducer	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm x 20mm.	3085020			79M	
50mm x 25mm.	3085025			79M	
50mm x 32mm.	3085032			79M	
63mm x 20mm.	3086320			79M	
63mm x 25mm.	3086325			79M	
63mm x 32mm.	3086332			79M	

Water Supply

Polyguard Barrier Pipe & Fittings



- Conforms with Type A: WIS 4-32-19: Polyethylene pressure pipe systems with an aluminium barrier layer for potable water supply in contaminated land
- Complies with BS6920 Water Quality Testing
- Approved under regulation 31 of the Water Supply (Water Quality) Regulations 2000
- "Approved for use in public water supplies"
- WIS approval for plastic fittings for Polyguard Barrier Pipe providing manufacturer's instructions are followed upon installation.

Polyguard Barrier Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm. Polyguard pipe x 50m coil.	PGP2550	1	1	119E	
32mm. Polyguard pipe x 50m coil.	PGP3250	1	1	119E	
63mm. Polyguard pipe x 6m length.	PGP636	1	1	119E	
63mm. Polyguard pipe x 25m coil.	PGP6325	1	1	119E	
63mm. Polyguard pipe x 50m coil.	PGP6350	1	1	119E	

Polyguard Plastic Fittings	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm. 25mm Coupler.	PGF40025	1	10	119M	
32mm. 32mm Coupler.	PGF40032	1	10	119M	
32mm. 32 x 25mm Reducer.	PGF40632	1	10	119M	
25mm. 25mm x 3/4" Male Adaptor.	PGF40425	1	10	119M	
32mm. 32mm x 1" Male Adaptor.	PGF40432	1	10	119M	
25mm. 25mm x 3/4" Female Adaptor.	PGF40325	1	10	119M	
25mm. 32mm x 1" Female Adaptor.	PGF40332	1	10	119M	
25mm. 25mm Elbow.	PGF40125	1	10	119M	
32mm. 32mm Elbow.	PGF40132	1	10	119M	
25mm. 25mm Tee.	PGF40225	1	10	119M	
32mm. 32mm Tee.	PGF40232	1	10	119M	
25mm. 25mm x 15mm Transition Coupler.	PGF4782515	1	10	119M	
25mm. 25mm x 22mm Transition Coupler.	PGF47825	1	10	119M	
32mm. 32mm x 28mm Transition Coupler.	PGF47832	1	10	119M	
25mm. 25mm Polyguard x 25mm MDPE Transition Coupler.	PGF402525	1	10	119M	
32mm. 32mm Polyguard x 32mm MDPE Transition Coupler.	PGF403232	1	10	119M	
25mm. 25mm Stopcock.	PGF41025	1	10	119M	
32mm. 32mm Stopcock.	PGF41032	1	10	119M	
25mm. 25mm Endcap.	PGF40925	1	10	119M	
32mm. 32mm Endcap.	PGF40932	1	10	119M	

PGF40032

PGF40432

PGF40932

Water Supply

Polyguard Barrier Pipe & Fittings



- Conforms with Type A: WIS 4-32-19: Polyethylene pressure pipe systems with an aluminium barrier layer for potable water supply in contaminated land
- Complies with BS6920 Water Quality Testing
- Approved under regulation 31 of the Water Supply (Water Quality) Regulations 2000
- "Approved for use in public water supplies"
- WIS approval for plastic fittings for Polyguard Barrier Pipe providing manufacturer's instructions are followed upon installation.

Polyguard DZR Gunmetal Fittings	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm. Polyguard straight coupling.	PGF25SC	1	10	119M	
32mm. Polyguard straight coupling.	PGF32SC	1	10	119M	
63mm. Polyguard straight coupling.	PGF63SC	1	10	119M	
25mm. Polyguard x 3/4" MBSP coupling.	PGF25MTC	1	10	119M	
32mm. Polyguard x 1" MBSP coupling.	PGF32MTC	1	10	119M	
63mm. Polyguard x 2" MBSP coupling.	PGF63MTC	1	10	119M	
25mm. Polyguard x 3/4" FBSP coupling.	PGF25FTC	1	10	119M	
32mm. Polyguard x 1" FBSP coupling.	PGF32FTC	1	10	119M	
63mm. Polyguard x 2" FBSP coupling.	PGF63FTC	1	10	119M	
25mm. Polyguard 90° elbow.	PGF2590E	1	10	119M	
32mm. Polyguard 90° elbow.	PGF3290E	1	10	119M	
63mm. Polyguard 90° elbow.	PGF6390E	1	10	119M	
63mm. Polyguard 45° elbow.	PGF6345E	1	10	119M	
25mm. Polyguard equal tee.	PGF25T	1	10	119M	
32mm. Polyguard equal tee.	PGF32T	1	10	119M	
63mm. Polyguard equal tee.	PGF63T	1	10	119M	
25mm x 15mm. Polyguard to copper transition coupling.	PGF2515TC	1	10	119M	
25mm x 22mm. Polyguard to copper transition coupling.	PGF2522TC	1	10	119M	
25mm x 25mm. Polyguard to PE transition coupling.	PGF2525TC	1	10	119M	
32mm x 32mm. Polyguard to PE transition coupling.	PGF3232TC	1	10	119M	
63mm x 63mm. Polyguard to PE transition coupling.	PGF6363TC	1	10	119M	



PGF32SC





PGF3290E

Water Supply

Water Supply Pipe and Fittings Ancillaries



Pipe Cutter	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm to 25mm.	PB781	1	10	123M	

Pipe Cutter (Ratchet)	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm to 32mm.	PB778	1	10	123M	

MDPE PE80 Yellow Gas Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm x 50mm Coil - SDR 9 - 5.5 MOP Bar.	2050YE	1	10	75E	
20mm x 100mm Coil - SDR 9 - 5.5 MOP Bar.	20100YE	1	6	75E	
25mm x 6m Length - SDR 11 - 5.5 MOP Bar.	2506YE	1	200	75E	
25mm x 50m Coil - SDR 11 - 5.5 MOP Bar.	2550YE	1	7	75E	
25mm x 100m Coil - SDR 11 - 5.5 MOP Bar.	25100YE	1	6	75E	
32mm x 6m Length - SDR 11 - 5.5 MOP Bar.	3206YE	1	150	75E	
32mm x 50m Coil - SDR 11 - 5.5 MOP Bar.	3250YE	1	6	75E	
32mm x 100m Coil - SDR 11 - 5.5 MOP Bar.	32100YE	1	5	75E	
63mm x 6m Length - SDR 11 - 5.5 MOP Bar.	630611YE	1	100	75E	
63mm x 50m Coil - SDR 11 - 5.5 MOP Bar.	635011YE	1	2	75E	
63mm x 100m Coil - SDR 11 - 5.5 MOP Bar.	6310011YE	1	2	75E	
75mm x 6m Length - SDR 11 - 5.5 MOP Bar.	750611YE	1	64	75E	
75mm x 120m Coil - SDR 11 - 5.5 MOP Bar.	7512011YE	1	1	75E	



Other diameter and length combinations are available to order.


All combinations are compatible with UK Gas industry approved electrofusion fittings.

Geothermal Systems

For use with Ground Source Heat Pumps

EN12201-2 For use with Ground
Source Heat Pumps Black MDPE PE80
SDR11. For all fitting requirements
please use Polyfast Compression
fittings Pages 40 to 48



Geothermal Pipe	Code	Pack Qty.	Colour	Product Group	
32mm. 100m Coil.	32100G	1	B	73E	
32mm. 250m Coil.	32250G	1	B	73E	
32mm. 300m Coil.	32300G	1	B	73E	
32mm. 400m Coil.	32400G	1	B	73E	
40mm. 100m Coil.	40100G	1	B	73E	
40mm. 250m Coil.	40250G	1	B	73E	
40mm. 300m Coil.	40300G	1	B	73E	
40mm. 400m Coil.	40400G	1	B	73E	






Pre-Insulated Pipes

For the distribution of hot and cold water

Max operating pressure: 6 bar.
Max fluid temperature: +95°C.
PE-Xa pipes: SDR 11.
Carrier pipes are individually identified as
flow and return.

 **Polypipe**

Pre-Insulated Pipes	Code	Pack Qty.	Colour	Product Group	
25mm. 10m Twin Pipe Coil PE-Xa 2mm x 25mm (OD) 20DN (ID).	INS1025-2-HTG	1		184E	
25mm. 15m Twin Pipe Coil PE-Xa 2mm x 25mm (OD) 20DN (ID).	INS1525-2-HTG	1		184E	
25mm. 20m Twin Pipe Coil PE-Xa 2mm x 25mm (OD) 20DN (ID).	INS2025-2-HTG	1		184E	
32mm. 10m Twin Pipe Coil PE-Xa 2mm x 32mm (OD) 25DN (ID).	INS1032-2-HTG	1		184E	
32mm. 15m Twin Pipe Coil PE-Xa 2mm x 32mm (OD) 25DN (ID).	INS1532-2-HTG	1		184E	
32mm. 20m Twin Pipe Coil PE-Xa 2mm x 32mm (OD) 25DN (ID).	INS2032-2-HTG	1		184E	



Pre-Insulated Pipe Fittings	Code	Pack Qty.	Colour	Product Group	
25mm. 25mm Male Coupling.	INS25MC-HTG	1		185M	
32mm. 32mm Male Coupling.	INS32MC-HTG	1		185M	
25mm. 160mm x 25mm Duo Dust Caps.	INS160-25-2DC	1		185M	
32mm. 160mm x 32mm Duo Dust Caps.	INS160-32-2DC	1		185M	
160mm Heat Shrink Cap.	INS160-3225-2HSC	1		185M	
25mm. 25mm Female Coupler.	INS25FC-HTG	1		185M	
32mm. 32mm Female Coupler.	INS32FC-HTG	1		185M	
160mm Insulation Kit for Coupler.	INS160IKC	1		185M	
25mm. 25mm Fix Point.	INS25FP-HTG	1		185M	
32mm. 32mm Fix Point.	INS32FP-HTG	1		185M	


INS 160-25-2DC


INS25MC-HTG


INS25FC-HTG


Polystorm-R Modular Water Storage Unit	Code	Pack Qty.	Bulk Qty.	Product Group	
1000mm Long x 500mm Wide x 400mm High 61 Tonnes Loading per sq metre 95% Void Ratio, 9kg Supplied with 4 Clips & 2 Shear connectors For use in trafficked and pedestrian applications (subject to a structural design check and suitable installation conditions).	PSM1A	1	15		
Polystorm Lite Modular Water Storage Unit	Code	Pack Qty.	Bulk Qty.	Product Group	
1000mm Long x 500mm Wide x 400mm High 20 Tonnes Loading per sq metre 95% Void Ratio, 7kg Supplied with 4 Clips & 2 Shear connectors Designed for landscaped, pedestrians or other non-loaded applications.	PSM2	1	15		
Polystorm Xtra Modular Water Storage Unit	Code	Pack Qty.	Bulk Qty.	Product Group	
1000mm Long x 500mm Wide x 210mm High 80 Tonnes Loading per sq metre 94% Void Ratio, 6kg, Supplied with 4 Clips & 2 Shear connectors. Designed for heavy trafficked conditions which require shallow excavations or deep burial depths. Half Size.	PSM3	1	30		
Polystorm Inspect	Code	Pack Qty.	Bulk Qty.	Product Group	
1000mm Long x 500mm Wide x 400mm High 44 Tonnes Loading per sq metre 94% Void Ratio, 11.6kg Its primary purpose is to provide a tunnel along the length of a fully installed Polystorm structure to enable access for inspection and maintenance.	PSM4	1	15		
Polystorm Access	Code	Pack Qty.	Bulk Qty.	Product Group	
Polystorm Access provides a 1m x 0.5m shaft within a Polystorm geocellular structure to enable surface access for remote camera inspection and maintenance activities such as flushing and rodding.	PSMACCESS				
Polysoak Pre-wrapped Soakaway Unit	Code	Pack Qty.	Bulk Qty.	Product Group	
1000mm Long x 500mm Wide x 800mm High 2 PSM1As pre-wrapped in a geotextile.	POLYSOAK	1	4	173M	

Polystorm Accessories	Code	Pack Qty.	Bulk Qty.	Product Group	
Brick Bond connector.	PSMBBSC	1	30	170M	 PSMCLIP  PSMSC
Spare Polystorm clips.	PSMCLIP	1	60	170M	
Spare Polystorm shear connectors.	PSMSC	1	30	170M	
150mm Ridgidrain flange adaptor.	PSMFA150	1		170M	
110mm EN1401-1 flange adaptor.	PSMFA110	1		170M	
160mm EN1401-1 flange adaptor.	PSMFA160	1		170M	



Underground Drainage Accessories	Code	Pack Qty.	Bulk Qty.	Product Group	
100mm Ridgidrain socket x 110mm EN1401-1 Spigot Adaptor.	ARD100110	1		167E	 UG621
160mm x 110mm single socket level invert reducer.	UG621	1		51M	
150mm Ridgidrain socket x 160mm EN1401-1 Spigot Adaptor.	ARD150160	1		167E	

Basic Silt Trap	Code	Pack Qty.	Bulk Qty.	Product Group	
Adjustable sump level and height to cover (risers and seals required), 160mm inlet and outlet 460mm dia. x 1220mm deep.	PSMST160	1			

Advanced Silt Trap	Code	Pack Qty.	Bulk Qty.	Product Group	
Stainless steel silt bucket for larger objects, secondary filtration for smaller particles Bucket and filter easily removed for cleaning, For use where invert level does not exceed 1.2m 15 litres per second max flow rate. 160mm inlet and outlet. 460mm dia. x 830mm deep.	*PSMSTA160/15	1			

Mini Silt Trap	Code	Pack Qty.	Bulk Qty.	Product Group	
320mm dia x 440mm height, 110mm inlet and outlet Silt bucket included, max burial depth 1m. can be used with UG438 or UG466 side riser and UG439 cover & frame	PSMST110	1			

*PSMSTA160/15 is made to order, allow 14 days

Silt Trap Accessories	Code	Pack Qty.	Bulk Qty.	Product Group	
Round Polypropylene Screw down cover & frame BS7158 [A+].	UG511	1		51M	
460mm. Square Cover and 65mm Deep Frame Polypropylene [A+]. Complete with seal and fixing screws and 350mm restricted access (removable) for depths greater than 1.2metres.	UG510	1	5	51M	 UG510
Square PP Cover and Frame complete with seals and fixing screws (35kN test load).	UG512	1		51M	
Silt Trap side riser (215mm effective height).	ICDR1	1		51M	
Silt Trap sealing ring.	UG488	1		51M	
Flow Control Unit	Code	Pack Qty.	Bulk Qty.	Product Group	
460mm dia x 1200mm high, 2 x 110mm inlet, 1 x 110mm outlet, 160mm Overflow. Max burial depth 1.2m. Suitable for 400mm deep Polystorm Storage Structures only.	*PSMFC160/30	1			

*PSMFC160/30 is made to order, allow 14 days


Rainstream Home Tanks	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Below Ground Tank 1,000lts complete with component kit including filter. (2/3 weeks delivery time).	RWH.RH.BGT.1			176M	
Rainstream Home Below Ground Tank 2,000lts complete with component kit including filter. (2/3 weeks delivery time).	RWH.RH.BGT.2			176M	
Rainstream Home Below Ground Tank 3,000lts complete with component kit including filter. (2/3 weeks delivery time).	RWH.RH.BGT.3			176M	
Rainstream Home Below Ground Tank 4,000lts complete with component kit including filter. (3/4 weeks delivery time).	RWH.RH.BGT.4			176M	
Rainstream Home Below Ground Tank 5,000lts complete with component kit including filter. (3/4 weeks delivery time).	RWH.RH.BGT.5			176M	
Rainstream Home Below Ground Tank 7,500lts complete with component kit including filter. (3/4 weeks delivery time).	RWH.RH.BGT.7.5			176M	
Rainstream Home Below Ground Tank 10,000lts complete with component kit including filter. (3/4 weeks delivery time).	RWH.RH.BGT.10			176M	





Rainstream Home Tanks with Ground Water Inlet Valves	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Below Ground Tank 1,000lts complete with component kit including filter and ground water inlet valve. (2/3 weeks delivery time).	RWH.RH.BGTV.1			176M	
Rainstream Home Below Ground Tank 2,000lts complete with component kit including filter and ground water inlet valves. (2/3 weeks delivery time).	RWH.RH.BGTV.2			176M	
Rainstream Home Below Ground Tank 3,000lts complete with component kit including filter and ground water inlet valves. (2/3 weeks delivery time).	RWH.RH.BGTV.3			176M	
Rainstream Home Below Ground Tank 4,000lts complete with component kit including filter and ground water inlet valves. (3/4 weeks delivery time).	RWH.RH.BGTV.4			176M	
Rainstream Home Below Ground Tank 5,000lts complete with component kit including filter and ground water inlet valves. (3/4 weeks delivery time).	RWH.RH.BGTV.5			176M	Water Inlet Valve
Rainstream Home Below Ground Tank 7,500lts complete with component kit including filter and ground water inlet valves. (3/4 weeks delivery time).	RWH.RH.BGTV.7.5			176M	
Rainstream Home Below Ground Tank 10,000lts complete with component kit including filter and ground water inlet valves. (3/4 weeks delivery time).	RWH.RH.BGTV.10			176M	
Standard Turrett Extension	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Below Ground Tank Standard Turrett Extension 570mm.	RWH.RH.A.TE			176M	
Small Turrett Extension	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Below Ground Tank Small Turrett Extension 150mm .	RWH.RH.A.TE2			176M	
Reinforced Cover & Frame	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Reinforced Cover and Frame (600kg wheel loading).	RWH.RH.A.RC			176M	


Pump Pack 1	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home direct pressure system 1,000ltr tank RWH.RH.CSCS.P.HOME must be ordered with this item.	RWH.RH.PP.1000			176M	
Pump Pack 2	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Indirect gravity system 1,000ltr tank RWH.RH.CSCS.G.HOME must be ordered with this item.	RWH.RH.PG.1000			176M	
Pump Pack 3	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Direct pressure system 15mtr RWH.RH.CSCS.P.HOME must be ordered with this item.	RWH.RH.PP.15			176M	
Pump Pack 4	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Direct pressure system 25mtr WH.RH.CSCS.P.HOME must be ordered with this item.	RWH.RH.PP.25			176M	
Pump Pack 5	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Indirect gravity system 15mtr RWH.RH.CSCS.G.HOME must be ordered with this item.	RWH.RH.PG.15			176M	
Pump Pack 6	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Indirect gravity system 25mtr RWH.RH.CSCS.G.HOME must be ordered with this item.	RWH.RH.PG.25			176M	
Rainstream Garden System for Garden Irrigation only (All components required)	Code	Pack Qty.	Bulk Qty.	Product Group	
Rainstream Home Below Ground Tank 1,000lts complete with component kit including filter. (2/3 weeks delivery time).	RWH.RH.BGT.1	1		176M	
Rainstream Garden system pack.	RWH.RH.PG.G	1		176M	
Rainstream Garden system connection pack Reclaimed Rainwater Supply Pipe Included.	RWH.RH.CSCS.RG	1		176M	


Connection Sets	Code	Pack Qty.	Bulk Qty.	Product Group	
Direct Pressurised System connection pack Reclaimed Rainwater Supply Pipe Included.	RWH.RH.CSCS.P.HOME			176M	
Indirect Gravity System connection pack Reclaimed Rainwater Supply Pipe Included.	RWH.RH.CSCS.G.HOME			176M	

Reclaimed Rainwater Supply Pipes	Code	Pack Qty.	Bulk Qty.	Product Group	
25mm x 25m . WRAS rainwater supply pipe 25mm diameter x 25mts coil length.	RWH.GA.RWP25.25			171E	
32mm x 25m. WRAS rainwater supply pipe 32mm diameter x 25mts coil length.	RWH.GA.RWP32.25			171E	


6m Single Socket PVCu General Purpose Duct	Code	Pack Qty.	Bulk Qty.	Product Group	
2"/54mm. Nominal OD: 54mm, Nominal ID: 51.0mm.	DUCT 2A	1	400	62E	
3"/90mm. Nominal OD: 88.9mm, Nominal ID: 85.0mm.	DUCT 3	1	144	62E	
4"/114.8mm. Nominal OD: 114.3mm, Nominal ID: 110.4mm.	DUCT 4B	1	86	62E	
6"/168mm. Nominal OD: 168.3mm, Nominal ID: 162.9mm.	DUCT 6B	1	36	62E	

Duct Couplings	Code	Pack Qty.	Bulk Qty.	Product Group	
54mm.	DUCT 2AC	1		63M	
90mm.	DUCT 3C	1		63M	
114mm.	DUCT 4BC	1		63M	
168mm.	DUCT 6BC	1		63M	


90° Duct Bend Single Socket	Code	Pack Qty.	Bulk Qty.	Product Group	
54mm.	DUCT 2AX90	1		63M	
90mm.	DUCT 3X90	1		63M	
114mm.	DUCT 4BX90	1		63M	
168mm.	DUCT 6BX90	1		63M	

45° Duct Bend Single Socket	Code	Pack Qty.	Bulk Qty.	Product Group	
54mm.	DUCT 2AX45	1		63M	
90mm.	DUCT 3X45	1		63M	
114mm.	DUCT 4BX45	1		63M	
168mm.	DUCT 6BX45	1		63M	


Coiled Perforated Land Drainage Pipe	Code	Pack Qty.	Bulk Qty.	Product Group	
60mm x 25m Coil. Nominal ID: 50.0mm.	LD6025B	1		60E	
60mm x 50m Coil. Nominal ID: 50.0mm.	LD6050B	1		60E	
60mm x 150m Coil. Nominal ID: 50.0mm.	LD60150B	1		60E	
80mm x 25m Coil. Nominal ID: 70.5mm.	LD8025B	1		60E	
80mm x 50m Coil. Nominal ID: 70.5mm.	LD8050B	1		60E	
80mm x 100m Coil. Nominal ID: 70.5mm.	LD80100B	1		60E	
100mm x 25m Coil. Nominal ID: 90.0mm.	LD10025B	1		60E	
100mm x 50m Coil. Nominal ID: 90.0mm.	LD10050B	1		60E	
100mm x 100m Coil. Nominal ID: 90.0mm.	LD100100B	1		60E	
160mm x 25m Coil. Nominal ID: 150.0mm.	LD16025B	1		60E	
160mm x 45m Coil. Nominal ID: 150.0mm.	LD16045B	1		60E	





Land Drainage Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
60mm.	HCC60	1		61M	
80mm.	HCC80	1		61M	
100mm.	HCC100	1		61M	
160mm.	HCC160	1		61M	





Multi Y Junction	Code	Pack Qty.	Bulk Qty.	Product Group	
80 x 100mm. (Do Not Solvent Weld Polypropylene).	CDJ10M	1		61M	
160mm. (Do Not Solvent Weld Polypropylene).	CDJ160M	1		61M	







Solid Ridgidrain	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. x 6m Plain Ended.	RD150X6PE/1	1		167E	
225mm. x 6m Plain Ended.	RD225X6PE/1	1		167E	
300mm. x 6m Plain Ended.	RD300X6PE/1	1		167E	


Perf Ridgidrain	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. x 6m Plain Ended.	RD150X6PEP/1	1		167E	
225mm. x 6m Plain Ended.	RD225X6PEP/1	1		167E	
300mm. x 6m Plain Ended.	RD300X6PEP/1	1		167E	

Ridgidrain Double Socket Coupling	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm.	CRD150	1		167E	
225mm.	CRD225	1		167E	
300mm.	CRD300	1		167E	


Ridgidrain Seal	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm.	SRD150	1		167E	
225mm.	SRD225	1		167E	
300mm.	SRD300	1		167E	


Ridgidrain Accessories	Code	Pack Qty.	Bulk Qty.	Product Group	
100mm Ridgidrain socket x 110mm EN1401-1 Spigot Adaptor.	ARD100110	1		167E	
150mm Ridgidrain socket x 160mm EN1401-1 Spigot Adaptor.	ARD150160	1		167E	

Ridgidrain Bend	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. x 150mm 15°.	BRD150X15	1		167E	
150mm. x 150mm 30°.	BRD150X30	1		167E	
150mm. x 150mm 45°.	BRD150X45	1		167E	
150mm. x 150mm 87.5°.	BRD150X87.5	1		167E	
225mm. x 225mm 11.25°.	BRD225X11.25	1		167E	
225mm. x 225mm 22.5°.	BRD225X22.5	1		167E	
225mm. x 225mm 45°.	BRD225X45	1		167E	
225mm. x 225mm 90°.	BRD225X90	1		167E	
300mm. x 300mm 11.25°.	BRD300X11.25	1		167E	
300mm. x 300mm 22.5°.	BRD300X22.5	1		167E	
300mm. x 300mm 45°.	BRD300X45	1		167E	
300mm. x 300mm 90°.	BRD300X90	1		167E	





Ridgidrain Junction	Code	Pack Qty.	Bulk Qty.	Product Group	
150mm. x 150mm 90°.	JRD150150T	1		167E	
150mm. x 150mm 45°.	JRD150150Y	1		167E	
225mm. x 150mm 90°.	JRD225150T	1		167E	
225mm. x 150mm 45°.	JRD225150Y	1		167E	
225mm. x 225mm 90°.	JRD225225T	1		167E	
225mm. x 225mm 45°.	JRD225225Y	1		167E	
300mm. x 150mm 90°.	JRD300150T	1		167E	
300mm. x 150mm 45°.	JRD300150Y	1		167E	
300mm. x 225mm 90°.	JRD300225T	1		167E	
300mm. x 225mm 45°.	JRD300225Y	1		167E	
300mm. x 300mm 90°.	JRD300300T	1		167E	
300mm. x 300mm 45°.	JRD300300Y	1		167E	

Ridgiduct	Code	Pack Qty.	Bulk Qty.	Product Group	
94mm. x 6m Black.	RB94X6	1	95	148E	
125mm. x 6m Black.	RB125X6	1	46	148E	
150mm. x 6m Black.	RB150X6	1	36	148E	

Ridgiduct Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
94mm. Black.	RBC94	1		148E	
125mm. Black.	RBC125	1		148E	
150mm. Black.	RBC150	1		148E	

Ridgicoil	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. x 50m Black.	RC50X50BE	1		164E	
50mm. x 50m Yellow.	RC50X50Y	1		164E	
60mm. x 50m Yellow Perforated.	LD6050YGAS	1		164E	
63mm. x 50m Black.	RC63X50BE	1		164E	
63mm. x 50m Yellow.	RC63X50Y	1		164E	
63mm. x 50m Blue.	RC63X50BL	1		164E	
63mm. x 50m Orange.	RC63X50SLO	1		164E	
63mm. x 50m Purple (Motorway Comms & Power).	RC63X50PMCP	1		164E	
110mm. x 50m Black.	RC110X50BE	1		164E	
110mm. x 50m Orange.	RC110X50SLO	1		164E	
110mm. x 50m Blue.	RC110X50BL	1		164E	
110mm. x 50m Purple (Motorway Comms & Power).	RC110X50PMCP	1		164E	
110mm. x 50m Green.	RC110X50G	1		164E	
110mm. x 50m Yellow.	RC110X50Y	1		164E	

Ridgicoil Coupler	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. Black.	RCC50BE	1		165M	
63mm. Black.	RCC63BE	1		165M	
110mm. Black.	RCC110BE	1		165M	




Polyduct	Code	Pack Qty.	Bulk Qty.	Product Group	
38mm. x 100m Black Electric Polyduct.	PD3844X100BEPE	1		166E	
50mm. x 25m Black Electric Polyduct.	PD5060X25BEPE	1		166E	
50mm. x 50m Black Electric Polyduct.	PD5060X50BEPE	1		166E	

Midi-Gully Yard Gully For domestic and smaller capacity industrial and commercial applications (Black HDPE, corrugated for extra strength)						
	Code	Pack Qty.	Bulk Qty.	Product Group		
Yard Gully 300mm x 600mm (110mm Spigot Outlet).	RG300/600	1	36	69M		 RG300/600
Aluminium Silt Bucket.	RGSB	1		69M		 RGSB
Cast Iron Grating (C250+ Loading Classification).	RGG	1		69M		 RGG
Ridgigully Road Gully (Black HDPE, corrugated for extra strength)						
	Code	Pack Qty.	Bulk Qty.	Product Group		
450 x 750mm Corrugated Road Gully.	RG450/750	1	16	69M		 RG450/750
450 x 900mm Corrugated Road Gully.	RG450/900	1	16	69M		
Gully Adaptor, 150mm Twin Wall or Supersleeve.	ARG634	1	20	69M		 ARG634
Gully Adaptor, 150mm Polysewer.	PS689	1	10	161M		

Civils

Channel Drainage









Domestic Channel	Code	Pack Qty.	Bulk Qty.	Product Group	
1m. Channel Drain with Plastic Grate.	DCD1000	1		114M	
Drainage System 1m Channel with slotted plastic grating	Code	Pack Qty.	Bulk Qty.	Product Group	
Channel Drain End Cap.	DCD1001	1		114M	 DCD1002  DCD1004
Channel Drain End Outlet.	DCD1002	1		114M	
Channel Drain Quad Connector.	DCD1003	1		114M	
Channel Drain Sump Unit.	DCD1004	1		114M	

Miscellaneous

Miscellaneous






Expansion Tank	Code	Pack Qty.	Bulk Qty.	Product Group	
4 gallon/18 litre (18" x 12" x 12" Black).	EX104			81M	
Tank Lid	Code	Pack Qty.	Bulk Qty.	Product Group	
Polypropylene.	EX105			81M	
Galvanised Metal Backing Plate	Code	Pack Qty.	Bulk Qty.	Product Group	
	EX106			81M	
Big Tub Bucket	Code	Pack Qty.	Bulk Qty.	Product Group	
72 Ltr Red, Blue, Green, Brown.	TUB3			93M	
Tote Bin	Code	Pack Qty.	Bulk Qty.	Product Group	
540 x 370 x 290mm Black.	TOTEBIN			93M	
Tote Bin Lid	Code	Pack Qty.	Bulk Qty.	Product Group	
Polypropylene Black.	TBL			93M	



Insulation


Cavity Closer - Open Cavity

 Polypipe

Multicor Flexible Cavity Closer	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm - 100mm - One Size Fits All (28mm Insulation) 2.44m lengths.	MULTICORFLEX	10		TDI1	

Multicor Cavity Closer	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm - 100mm - One Size Fits All (25mm Insulation) 2.44m lengths.	MULTICOREXL244	10		TDI1	
50mm - 100mm One Size Fits All (28mm Insulation) 2.44m lengths.	WCMULTICOR	10		TDI1	
100mm - 150mm. One size fits all. 28mm Insulation.	WCMULTICOR150	10		TDI1	
50mm (28mm Insulation) 2.44m lengths.	WCM50	10		TDI1	
75mm (28mm Insulation) 2.44m lengths.	WCM75	10		TDI1	

Weathercor F	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm - 100mm - One Size Fits All 30 Minute Fire Integrity - One Size Fits All. 2.44m lengths.	WCFMULTICOR	10		TDI1	
50mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF50	10		TDI1	
65mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF65	10		TDI1	
75mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF75	10		TDI1	
85mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF85	10		TDI1	
90mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF90	10		TDI1	
100mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF100	10		TDI1	
125mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF125	5		TDI1	
140mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF140	5		TDI1	
150mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF150	5		TDI1	
200mm. 30 Minute Fire Integrity - 2.44m lengths.	WCF200	5		TDI1	

Weathercor F 0.25	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. 0.25 "U" Value - 30 Minute Fire Integrity - 2.44m lengths.	GWC50	10		TDI1	
65mm. 0.25 "U" Value - 30 Minute Fire Integrity - 2.44m lengths.	GWC65	10		TDI1	
75mm. 0.25 "U" Value - 30 Minute Fire Integrity - 2.44m lengths.	GWC75	10		TDI1	
90mm. 0.25 "U" Value - 30 Minute Fire Integrity - 2.44m lengths.	GWC90	10		TDI1	
100mm. 0.25 "U" Value - 30 Minute Fire Integrity - 2.44m lengths.	GWC100	10		TDI1	
125mm. 0.25 "U" Value - 30 Minute Fire Integrity - 2.44m lengths.	GWC125	10		TDI1	

Insulation

Cavity Closer - Open Cavity



Thermocor CC	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. 2.44m lengths.	TC50	20		TDI5	
65mm. 2.44m lengths.	TC65	20		TDI5	
75mm. 2.44m lengths.	TC75	20		TDI5	
85mm. 2.44m lengths.	TC85	20		TDI5	
90mm. 2.44m lengths.	TC90	20		TDI5	
100mm. 2.44m lengths.	TC100	20		TDI5	
110mm. 2.44m lengths.	TC110	15		TDI5	
125mm. 2.44m lengths.	TC125	15		TDI5	
150mm. 2.44m lengths.	TC150	10		TDI5	

TC100

Firestop	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. 1 Hour Fire Integrity - 2.44m lengths.	FS50	20		TDI8	
65mm. 1 Hour Fire Integrity - 2.44m lengths.	FS65	20		TDI8	
70mm. 1 Hour Fire Integrity - 2.44m lengths.	FS70	20		TDI8	
75mm. 1 Hour Fire Integrity - 2.44m lengths.	FS75	20		TDI8	
80mm. 1 Hour Fire Integrity - 2.44m lengths.	FS80	20		TDI8	
85mm. 1 Hour Fire Integrity - 2.44m lengths.	FS85	20		TDI8	
90mm. 1 Hour Fire Integrity - 2.44m lengths.	FS90	20		TDI8	
100mm. 1 Hour Fire Integrity - 2.44m lengths.	FS100	20		TDI8	
110mm. 1 Hour Fire Integrity - 2.44m lengths.	FS110	10		TDI8	
120mm. 1 Hour Fire Integrity - 2.44m lengths.	FS120	10		TDI8	
125mm. 1 Hour Fire Integrity - 2.44m lengths.	FS125	10		TDI8	
130mm. 1 Hour Fire Integrity - 2.44m lengths.	FS130	10		TDI8	
140mm. 1 Hour Fire Integrity - 2.44m lengths.	FS140	10		TDI8	
150mm. 1 Hour Fire Integrity - 2.44m lengths.	FS150	10		TDI8	
175mm. 1 Hour Fire Integrity - 2.44m lengths.	FS175	5		TDI8	
200mm. 1 Hour Fire Integrity - 2.44m lengths.	FS200	5		TDI8	




FS100








Insulation

Cavity Closer - Open Cavity



Firestop 0.25	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. 0.25 "U" Value - 1 Hour Fire Integrity - 2.44m lengths.	GFS50	20		TDI8	 GFS80  
65mm. 0.25 "U" Value - 1 Hour Fire Integrity - 2.44m lengths.	GFS65	20		TDI8	
75mm. 0.25 "U" Value - 1 Hour Fire Integrity - 2.44m lengths.	GFS75	20		TDI8	
85mm. 0.25 "U" Value - 1 Hour Fire Integrity - 2.44m lengths.	GFS85	20		TDI8	
90mm. 0.25 "U" Value - 1 Hour Fire Integrity - 2.44m lengths.	GFS90	20		TDI8	
100mm. 0.25 "U" Value - 1 Hour Fire Integrity - 2.44m lengths.	GFS100	20		TDI8	

Rigidcor F	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm. 30 Minute Fire Integrity - 3m lengths.	RCF50	5		TDI2	 RCF100 
75mm. 30 Minute Fire Integrity - 3m lengths.	RCF75	5		TDI2	
85mm. 30 Minute Fire Integrity - 3m lengths.	RCF85	5		TDI2	
100mm. 30 Minute Fire Integrity - 3m lengths.	RCF100	5		TDI2	
120mm. 30 Minute Fire Integrity - 3m lengths.	RCF120	5		TDI2	

Rigidcor F 0.25	Code	Pack Qty.	Bulk Qty.	Product Group	
75mm. 0.25 "U" Value - 30 Minute Fire Integrity - 3m lengths.	GRC75	5		TDI2	 GRC100  
85mm. 0.25 "U" Value - 30 Minute Fire Integrity - 3m lengths.	GRC85	5		TDI2	
100mm. 0.25 "U" Value - 30 Minute Fire Integrity - 3m lengths.	GRC100	5		TDI2	
120mm. 0.25 "U" Value - 30 Minute Fire Integrity - 3m lengths.	GRC120	5		TDI2	

Insulation

Cavity Closer - Open Cavity



Rigidcor F Corners	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm.	RCFC50			TDI2	
75mm.	RCFC75			TDI2	
85mm.	RCFC85			TDI2	
100mm.	RCFC100			TDI2	
120mm.	RCFC120			TDI2	

Rigidcor F Brick Ties	Code	Pack Qty.	Bulk Qty.	Product Group	
Rigidcor F BrickTies.	RCFBRKTIES			TDI2	

Hycor F Subframe System	Code	Pack Qty.	Bulk Qty.	Product Group	
Pre-assembled subframe system, available in various sizes - 30 minute fire integrity. POA. Also available in a 0.25 "U" value range.					



Insulation

Cavity Closer - Closed Cavity



Damcor (DPC Width/Insulation width)	Code	Pack Qty.	Bulk Qty.	Product Group	
165mm x 100mm. 6m Roll.	DC165	8	15	TDI3	
225mm x 150mm. 6m Roll.	DC225	6	15	TDI3	


Stonecor (DPC Width/Insulation width)	Code	Pack Qty.	Bulk Qty.	Product Group	
165mm x 100mm. 30 Minute Fire Integrity. 10m Roll.	SC165	5	15	TDI4	
225mm x 150mm. 30 Minute Fire Integrity. 10m Roll.	SC225	5	15	TDI4	

Stonecor 0.25 (DPC Width/Insulation width)	Code	Pack Qty.	Bulk Qty.	Product Group	
165mm x 100mm. 0.25 "U" Value. 30 Minute Fire Integrity. 10m Roll.	GSC165	5	15	TDI4	
225mm x 150mm. 0.25 "U" Value. 30 Minute Fire Integrity. 10m Roll.	GSC225	5	15	TDI4	

Insulation

Cavity Closer - Party Wall



Cavity Stop (DPC Width x Insulation Width x Insulation Height)	Code	Pack Qty.	Bulk Qty.	Product Group	
340x260x100mm. 1 Hour Fire Integrity - 7.5m Roll.	CS340X260X100	2		TDI11	
340x300x100mm. 1 Hour Fire Integrity - 7.5m Roll.	CS340X300X100	2		TDI11	
400x300x100mm. 1 Hour Fire Integrity - 7.5m Roll.	CS400X300X100	2		TDI11	

Insulation

Acoustic Cavity Sock








Acoustic Cavity Sock (First measurement is the cavity width)	Code	Pack Qty.	Bulk Qty.	Product Group	
50mm x 75mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK75X50			TDI10	
50mm x 80mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK80X50			TDI10	
50mm x 100mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK100X50			TDI10	
50mm x 140mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK140X50			TDI10	
70mm x 100mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK100X70			TDI10	
75mm x 50mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK75X50			TDI10	
75mm x 75mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK75X75			TDI10	
75mm x 90mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK90X75			TDI10	
75mm x 100mm. 2 Hour Fire Integrity - 1.22m lengths.	CSOCK100X75			TDI10	
75mm x 125mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK125X75			TDI10	
75mm x 150mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK150X75			TDI10	
75mm x 155mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK155X75			TDI10	
75mm x 175mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK175X75			TDI10	
75mm x 275mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK275X75			TDI10	
80mm x 50mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK80X50			TDI10	
90mm x 75mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK90X75			TDI10	
100mm x 50mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK100X50			TDI10	
100mm x 70mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK100X70			TDI10	
100mm x 75mm. 2 Hour Fire Integrity - 1.22m lengths.	CSOCK100X75			TDI10	
100mm x 100mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK100X100			TDI10	
100mm x 125mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK125X100			TDI10	
100mm x 150mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK150X100			TDI10	
100mm x 170mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK170X100			TDI10	
100mm x 200mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK200X100			TDI10	
100mm x 300mm. 2 Hour Fire Integrity - 2.44m lengths.	CSOCK300X100			TDI10	




Insulation


Loft Hatch



Loft Hatch	Code	Pack Qty.	Bulk Qty.	Product Group	
Hinge down uninsulated quarter turn catch (c/w Opening Handle).	LH4			85M	
Loft Hatch	Code	Pack Qty.	Bulk Qty.	Product Group	
Hinge down uninsulated lockable.	LH4WL			85M	
Loft Hatch	Code	Pack Qty.	Bulk Qty.	Product Group	
Hinge down insulated quarter turn catch 0.25 "U" Value (c/w Opening Handle).	LH.25			85M	
Loft Hatch	Code	Pack Qty.	Bulk Qty.	Product Group	
Hinge down insulated quarter turn catch 0.35 "U" Value (c/w Opening Handle).	.35TDI			85M	
Loft Hatch	Code	Pack Qty.	Bulk Qty.	Product Group	
Hinge down insulated lockable 0.35 "U" Value.	.35TDIWL			85M	



Insulated Version



Uninsulated Version

A	733mm
B	656mm
C	639mm
D	562mm
E	600mm
F	532mm

Spares and Ancillaries



Seals	Code	Pack Qty.	Bulk Qty.	Product Group	
110mm Socketed Pipe Seal (Nitrile)	PRD10N	1	N/A	143M	
110mm Underground Seal (Nitrile)	PRD4N	1	N/A	143M	
160mm Underground Seal (Nitrile)	PRD2N	1	500	143M	
150mm Polysewer Seal (Nitrile)	PRD53N	1	500	143M	
225mm Polysewer Seal (Nitrile)	PRD54N	1	N/A	143M	
300mm Polysewer Seal (Nitrile)	PRD55N	1	N/A	143M	
8" Sewer Drain Pipe Seal (SB102)	BODEBL200	1	N/A	RAWM	
10" Sewer Drain Pipe Seal (SB103)	BODEBL250	1	N/A	RAWM	
12" Sewer Drain Pipe Seal Forsheda	F315	10	N/A	W88E	

Manhole Seals and Screws	Code	Pack Qty.	Bulk Qty.	Product Group	
Seal for UG512 and ICDC1 10mm	P00414	1	N/A	W89M	
Seal for UG512 and ICDC1 12mm	P00415	1	N/A	W89M	

MDPE End Caps	Code	Pack Qty.	Bulk Qty.	Product Group	
20mm Black End Cap	20BLACKCAP	10	N/A	W70E	
25mm Black End Cap	25BLACKCAP	10	4500	W70E	
32mm Black End Cap	32BLACKCAP	10	2000	W70E	
50mm Black End Cap	50BLACKCAP	10	800	W70E	
63mm Black End Cap	63BLACKCAP	10	800	W70E	

Index

Code	Page
2025	40
2050	40
2525	40
2550	40
3225	40
3250	40
4050	40
4731	49
4901	42
5006	40
5025	40
5050	40
6306	40
6325	40
6350	40
20100	40
20150	40
25100	40
25150	40
30920	44
30925	44
30932	44
30940	44
30950	44
30963	44
31050	48
31063	48
32100	40
32150	40
40020	41
40025	41
40032	41
40040	41
40050	41
40063	41
40100	40
40120	43
40125	43
40132	43
40140	43
40150	43
40163	43
40220	43
40225	43
40232	43
40240	43
40250	43
40263	43
40320	42
40325	42
40332	42
40340	42
40350	42
40363	42
40420	42
40425	42
40432	42
40440	42
40450	42
40463	42

Code	Page
40625	41
40632	41
40640	41
40650	41
40920	44
40925	44
40932	44
40940	44
40950	44
40963	44
41020	48
41025	48
41032	48
41125	44
41132	44
41320	48
41325	48
42120	43
42125	43
42132	43
42140	43
42150	43
42163	43
42220	44
42225	44
42232	44
42240	44
42250	44
42263	44
42320	43
42325	43
42420	44
42425	44
42525	43
42620	48
42625	48
42632	48
46420	45
46425	45
46432	45
46440	45
46450	45
46463	45
46820	46
46825	46
46832	46
46920	46
46925	46
46932	46
46940	46
47021	49
47032	49
47043	49
47240	47
47312	49
47334	49
47450	45
47463	45
47620	48
47625	48

Code	Page
47632	48
47720	48
47725	48
47820	42
47825	42
47832	42
48120	42
48125	42
48320	48
48325	48
49012	42
49034	42
49120	48
49125	48
50100	40
50150	40
63100	40
63150	40
469329	46
470112	49
470134	49
470212	49
470234	49
479116	46
479127	46
479129	46
479349	46
479385	46
3085020	49
3085025	49
3085032	49
3086320	49
3086325	49
3086332	49
4012520	43
4032512	42
4042512	42
4063220	41
4065032	41
4113220	44
4132534	48
4682515	46
4701121	49
4701141	49
4702112	49
4703412	49
4712520	45
4713220	45
4713225	45
4715020	45
4715025	45
4715032	45
4716320	45
4716325	45
4716332	45
4716350	45
4722038	47
4722512	47
4723234	47
4772515	48

Index

Code	Page
4782515	42
4783222	42
4793411	46
4802520	45
4803220	45
4803225	45
4805020	45
4805025	45
4805032	45
4806320	45
4806325	45
4806332	45
4806350	45
4812512	42
4832512	48
4841522	41
4842127	41
4842735	41
4851522	41
4852127	41
4852735	41
4882735	41
47011212	49
47011234	49
470112114	49
.35DI	78
.35DIWL	78
20100YE	53
2050YE	53
20BLACKCAP	79
2506YE	53
25100YE	53
2550YE	53
25BLACKCAP	79
3206YE	53
32100G	54
32100YE	53
32250G	54
32300G	54
32400G	54
3250YE	53
32BLACKCAP	79
40020S	41
40025S	41
40032S	41
40040S	41
40050S	41
40063S	41
40100G	54
40250G	54
40300G	54
40400G	54
465C1	46
465C112	46
465C114	46
465C12	46
465C34	46
465D1	46
465D112	46

Code	Page
465D114	46
465D12	46
465D34	46
466C1	47
466C112	47
466C114	47
466C12	47
466C2	47
466C34	47
466D1	47
466D112	47
466D114	47
466D12	47
466D2	47
466D34	47
466D38	47
467HG1	47
467HG112	47
467HG114	47
467HG12	47
467HG34	47
467NG1	47
467NG112	47
467NG114	47
467NG12	47
467NG2	47
467NG34	47
5008100B	40
500850B	40
50BLACKCAP	79
630611YE	53
6308100B	40
630850B	40
6310011YE	53
635011YE	53
63BLACKCAP	79
750611YE	53
7512011YE	53
AFV110	7
AFV160	7
ARD100110	57
ARD100110	65
ARD150160	57
ARD150160	65
ARG634	68
BODEBL200	79
BODEBL250	79
BRD150X15	65
BRD150X30	65
BRD150X45	65
BRD150X87.5	65
BRD225X11.25	65
BRD225X22.5	65
BRD225X45	65
BRD225X90	65
BRD300X11.25	65
BRD300X22.5	65
BRD300X45	65
BRD300X90	65
CDJ10M	64

Code	Page
CDJ160M	64
CF250	26
CLH500	20
CRD150	65
CRD225	65
CRD300	65
CS340X260X100	76
CS340X300X100	76
CS400X300X100	76
CSOCK100X100	77
CSOCK100X50	77
CSOCK100X50	77
CSOCK100X70	77
CSOCK100X70	77
CSOCK100X75	77
CSOCK100X75	77
CSOCK125X100	77
CSOCK125X75	77
CSOCK140X50	77
CSOCK150X100	77
CSOCK150X75	77
CSOCK155X75	77
CSOCK170X100	77
CSOCK175X75	77
CSOCK200X100	77
CSOCK275X75	77
CSOCK300X100	77
CSOCK75X50	77
CSOCK75X50	77
CSOCK75X75	77
CSOCK80X50	77
CSOCK80X50	77
CSOCK90X75	77
CSOCK90X75	77
DC165	75
DC225	75
DCD1000	69
DCD1001	69
DCD1002	69
DCD1003	69
DCD1004	69
DUCT 2A	63
DUCT 2AC	63
DUCT 2AX45	63
DUCT 2AX90	63
DUCT 3	63
DUCT 3C	63
DUCT 3X45	63
DUCT 3X90	63
DUCT 4B	63
DUCT 4BC	63
DUCT 4BX45	63
DUCT 4BX90	63
DUCT 6B	63
DUCT 6BC	63
DUCT 6BX45	63
DUCT 6BX90	63
EX104	70
EX105	70
EX106	70

Index



Code	Page
F315	79
FRK500	20
FRK501	20
FRK502	20
FRK502	22
FRK503	22
FRK504	19
FS100	72
FS110	72
FS120	72
FS125	72
FS130	72
FS140	72
FS150	72
FS175	72
FS200	72
FS50	72
FS65	72
FS70	72
FS75	72
FS80	72
FS85	72
FS90	72
GFC100	26
GFS100	73
GF550	73
GF565	73
GF575	73
GF585	73
GF590	73
GRC100	73
GRC120	73
GRC75	73
GRC85	73
GSC165	75
GSC225	75
GW100	71
GW125	71
GW50	71
GW65	71
GW75	71
GW90	71
HCC100	64
HCC160	64
HCC60	64
HCC80	64
ICDB1	22
ICDB2	22
ICDB3	22
ICDR1	22
ICDR1	58
ICDR2	22
ICDR4	22
ICDR8	22
INS1025-2-HTG	55
INS1032-2-HTG	55
INS1525-2-HTG	55
INS1532-2-HTG	55
INS160-25-2DC	55
INS160-32-2DC	55

Code	Page
INS160-3225-2HSC	55
INS160IKC	55
INS2025-2-HTG	55
INS2032-2-HTG	55
INS25FC-HTG	55
INS25FP-HTG	55
INS25MC-HTG	55
INS32FC-HTG	55
INS32FP-HTG	55
INS32MC-HTG	55
JRD150150T	66
JRD150150Y	66
JRD225150T	66
JRD225150Y	66
JRD22525T	66
JRD22525Y	66
JRD300150T	66
JRD300150Y	66
JRD300225T	66
JRD300225Y	66
JRD300300T	66
JRD300300Y	66
LD100100B	64
LD10025B	64
LD10050B	64
LD16025B	64
LD16045B	64
LD60150B	64
LD6025B	64
LD6050B	64
LD6050YGAS	67
LD80100B	64
LD8025B	64
LD8050B	64
LH.25	78
LH4	78
LH4WL	78
LUBX1	26
LUBX2.5	26
MULTICOREXL244	71
MULTICORFLEX	71
P00414	79
P00415	79
P8778	52
P8781	52
PC04	4
PD3844X100BEPE	67
PD5060X25BEPE	67
PD5060X50BEPE	67
PGF2515TC	51
PGF2522TC	51
PGF2525TC	51
PGF2590E	51
PGF25FTC	51
PGF25MTC	51
PGF25SC	51
PGF25T	51
PGF3232TC	51
PGF3290E	51
PGF32FTC	51

Code	Page
PGF32MTC	51
PGF32SC	51
PGF32T	51
PGF40025	50
PGF40032	50
PGF40125	50
PGF40132	50
PGF40225	50
PGF40232	50
PGF402525	50
PGF403232	50
PGF40325	50
PGF40332	50
PGF40425	50
PGF40432	50
PGF40632	50
PGF40925	50
PGF40932	50
PGF41025	50
PGF41032	50
PGF47825	50
PGF4782515	50
PGF47832	50
PGF6345E	51
PGF6363TC	51
PGF6390E	51
PGF63FTC	51
PGF63MTC	51
PGF635C	51
PGF63T	51
PGP2550	50
PGP3250	50
PGP6325	50
PGP6350	50
PGP636	50
POLYSOAK	56
PRD10N	79
PRD2N	79
PRD4N	79
PRD53N	79
PRD54N	79
PRD55N	79
PS1000	27
PS1001	27
PS1003	28
PS1005	27
PS1009	28
PS10101	29
PS10102	29
PS10105	29
PS1011	28
PS1020	29
PS1021	27
PS1030	27
PS1031	28
PS1031RS	28
PS1032	27
PS1035RS	28
PS1060	27
PS1062	27

Index

Code	Page
PS1067	28
PS1089	29
PS1200	27
PS1201	27
PS1203	28
PS1205	27
PS1209	28
PS12100	28
PS12101	29
PS12102	29
PS12105	29
PS1211	28
PS1220	29
PS1221	27
PS1230	27
PS1231	28
PS1231RS	28
PS1232	27
PS1235RS	28
PS1260	27
PS1262	27
PS1267	28
PS1289	29
PS600	27
PS601	27
PS603	28
PS605	27
PS609	28
PS6101	29
PS6103	30
PS6104	30
PS6105	29
PS611	28
PS620	29
PS621	27
PS622S	28
PS623	27
PS630	27
PS632	27
PS634	29
PS635RS	28
PS643RS	28
PS660	27
PS662	27
PS667	28
PS670	28
PS689	29
PS689	68
PS696	29
PSC1	30
PSM1A	56
PSM2	56
PSM3	56
PSM4	56
PSMACCESS	56
PSMBBSC	57
PSMCLIP	57
PSMFA110	57
PSMFA150	57
PSMFA160	57

Code	Page
PSMFC160/30	58
PSMSC	57
PSMSTA160/15	57
PSMST110	57
PSMST160	57
PSSP1	29
PSSP2	29
PSSP2	29
PSSP3	29
PSUR150	29
PSUR300	29
PUD110	12
PUD160	12
RB125X6	67
RB150X6	67
RB94X6	67
RBC125	67
RBC150	67
RBC94	67
RC110X50BE	67
RC110X50BL	67
RC110X50G	67
RC110X50PMCP	67
RC110X50SLO	67
RC110X50Y	67
RC50X50BE	67
RC50X50Y	67
RC63X50BE	67
RC63X50BL	67
RC63X50PMCP	67
RC63X50SLO	67
RC63X50Y	67
RCC110BE	67
RCC50BE	67
RCC63BE	67
RCF100	73
RCF120	73
RCF50	73
RCF75	73
RCF85	73
RCFBRKTIES	74
RCFC100	74
RCFC120	74
RCFC50	74
RCFC75	74
RCFC85	74
RD150X6PE/1	65
RD150X6PEP/1	65
RD225X6PE/1	65
RD225X6PEP/1	65
RD300X6PE/1	65
RD300X6PEP/1	65
RG300/600	68
RG450/750	68
RG450/900	68
RGG	68
RG58	68
RSW450X3PE8	23
RWH.GA.RWP25.25	62
RWH.GA.RWP32.25	62

Code	Page
RWH.RH.A.RC	60
RWH.RH.A.TE	60
RWH.RH.A.TE2	60
RWH.RH.BGT.1	59
RWH.RH.BGT.1	61
RWH.RH.BGT.10	59
RWH.RH.BGT.2	59
RWH.RH.BGT.3	59
RWH.RH.BGT.4	59
RWH.RH.BGT.5	59
RWH.RH.BGT.7.5	59
RWH.RH.BGT.V.1	60
RWH.RH.BGT.V.10	60
RWH.RH.BGT.V.2	60
RWH.RH.BGT.V.3	60
RWH.RH.BGT.V.4	60
RWH.RH.BGT.V.5	60
RWH.RH.BGT.V.7.5	60
RWH.RH.CSCS.G.HOME	62
RWH.RH.CSCS.P.HOME	62
RWH.RH.CSCS.RG	61
RWH.RH.PG.1000	61
RWH.RH.PG.15	61
RWH.RH.PG.25	61
RWH.RH.PG.G	61
RWH.RH.PP.1000	61
RWH.RH.PP.15	61
RWH.RH.PP.25	61
SC125	26
SC165	75
SC225	75
SC250	26
SC500	26
SFA210	24
SFA238	24
SFA430	24
SFA431	24
SFA432	24
SFA434	24
SFA437	24
SFA440	25
SFA441	25
SFA442	25
SFA444	25
SFA448	25
SFA530	24
SFA670	25
SFA671	25
SFARB1	23
SFARB2	23
SFARB3	23
SFARC	23
SG100	26
SG300	26
SG500	26
SIL500	26
SRD150	65
SRD225	65
SRD300	65
SRSW4508	23

Index

Code	Page
SS700	16
SS701	16
SS702	16
SS703	16
SS704	16
SS705	16
SS706	16
SS707	16
TBL	70
TC100	72
TC110	72
TC125	72
TC150	72
TC50	72
TC65	72
TC75	72
TC85	72
TC90	72
TOTEBIN	70
TUB3	70
UDC200	24
UDC700	19
UDC700	24
UDC750	21
UDC750	25
UFC430	10
UFC432	10
UFC460	10
UFC462	10
UFC630	10
UFC632	10
UFC660	10
UFC662	10
UG1001	31
UG1004	32
UG1006	32
UG1010	32
UG1012	32
UG1016	32
UG1017	32
UG1020	33
UG1021	33
UG1030	31
UG1032	31
UG1036	32
UG1060	31
UG1062	31
UG1068	32
UG1069	31
UG1200	31
UG1201	31
UG1204	32
UG1206	32
UG1210	32
UG1212	32
UG1216	32
UG1217	32
UG1218	32
UG1220	33
UG1221	33

Code	Page
UG1230	31
UG1232	31
UG1236	32
UG1260	31
UG1262	31
UG1268	32
UG1269	31
UG253	14
UG254	14
UG301	5
UG304	5
UG312	5
UG320	7
UG324	6
UG330	4
UG360	4
UG388	19
UG388	24
UG400	5
UG401	5
UG402	5
UG403	5
UG404	5
UG405	6
UG406	6
UG407	5
UG408	5
UG409	5
UG410	5
UG411	6
UG412	6
UG413	8
UG414	8
UG414AST	13
UG414B	8
UG415	8
UG416S	12
UG417	9
UG417S	9
UG4176	9
UG4177	9
UG418	7
UG419	20
UG419	25
UG420	7
UG421	7
UG422	12
UG422S	12
UG423	6
UG424	6
UG425	7
UG425AST	13
UG426	7
UG427	7
UG427AST	13
UG427R	7
UG427RAST	13
UG427S	7
UG428	8
UG428AST	13

Code	Page
UG429	8
UG430	4
UG431†	20
UG432	4
UG433	7
UG434	14
UG435	15
UG436	19
UG437	19
UG438	19
UG439	19
UG439	24
UG440	20
UG442	7
UG443	8
UG444	20
UG444	25
UG445	22
UG446	7
UG447	17
UG448	17
UG449	17
UG450L	17
UG450R	17
UG451L	17
UG451R	17
UG452L	18
UG452R	18
UG453L	18
UG453R	18
UG454	13
UG455	15
UG456	15
UG457	15
UG459	14
UG460	4
UG461	15
UG462	4
UG463	14
UG464	14
UG465	4
UG466	19
UG467	5
UG468	5
UG469	4
UG470	8
UG471	6
UG472	6
UG473	6
UG474	6
UG475	17
UG476	17
UG477L	18
UG477R	18
UG478L	18
UG478R	18
UG479	6
UG480	7
UG481	18
UG482	18

Index

Code	Page
UG483	6
UG484	5
UG485	14
UG486	14
UG487	14
UG488	20
UG488	22
UG488	25
UG488	58
UG489	5
UG490*	21
UG491*	21
UG492	15
UG493	14
UG494	6
UG495	21
UG496	21
UG497	20
UG498	8
UG499	19
UG499	24
UG501	19
UG502	19
UG510	58
UG510	20
UG510	22
UG511	20
UG511	58
UG512	20
UG512	58
UG513	20
UG513	25
UG514	22
UG514	25
UG521	12
UG522	12
UG523	12
UG537	19
UG543	13
UG601	5
UG601	10
UG602	5
UG603	5
UG604	5
UG605	6
UG606	6
UG609	5
UG610	5
UG6106	14
UG611	5
UG612	5
UG616	22
UG620	7
UG621	7
UG621	10
UG621	57
UG6225	12
UG623	6
UG624	6
UG630	4

Code	Page
UG632	4
UG634	14
UG635	6
UG636	6
UG643	6
UG644	6
UG645	22
UG647	17
UG648	17
UG649	17
UG650L	17
UG650R	17
UG651L	17
UG651R	17
UG654L	18
UG654R	18
UG659	14
UG660	4
UG662	4
UG663	14
UG664	14
UG665	4
UG667	5
UG668	5
UG669	4
UG670	20
UG671	6
UG672	6
UG681	18
UG682	18
UG696	14
UG697	14
UG801	31
UG803	32
UG804	32
UG805	32
UG806	32
UG809	32
UG810	32
UG812	32
UG820	33
UG821	33
UG830	31
UG831	32
UG832	31
UG835	32
UG836	32
UG837	32
UG860	31
UG862	31
UG868	32
UG869	31
UG945R	17
UG946L	17
UG947R	17
UG948L	17
UGR1099	31
UGR1299	31
UGR699	4
UGT899	31

Code	Page
UR401	10
UR403	11
UR404	10
UR405	11
UR406	11
UR409	11
UR410	10
UR411	11
UR412	10
UR423	11
UR424	11
UR467	11
UR468	10
UR603	11
UR604	10
UR605	11
UR606	11
UR609	11
UR610	10
UR611	11
UR612	10
UR635	11
UR636	11
UR667	11
UR668	10
URP720	19
URP760	21
USA43	12
USA62	12
USA63	12
USA643	12
USA662	12
USB413	12
USH33	4
USH43	4
USH643	4
WCF100	71
WCF125	71
WCF140	71
WCF150	71
WCF200	71
WCF50	71
WCF65	71
WCF75	71
WCF85	71
WCF90	71
WCFMULTICOR	71
WCM50	71
WCM75	71
WCMULTICOR	71
WCMULTICOR150	71
XAC115/165	34
XAC125/145	34
XAC125/160	34
XAC125/175	34
XAC125/190	34
XAC125/205	34
XAC140/160	34
XAC140/190	34
XAC140/230	34

Index

Code	Page
XAC140/245	34
XAC160/185	34
XAC160/230	34
XAC160/245	34
XAC160/260	34
XAC160/280	34
XAC160/320	34
XAC175/195	34
XAC175/210	34
XAC190/230	34
XAC190/245	34
XAC190/260	34
XAC190/320	34
XAC400	34
XAC600	34
XAC800	34
XAC85/115	34
XAC900	34
XAC95/115	34
XBC105/05	38
XBC105/08	38
XBC115/05	38
XBC120/08	38
XBC125/05	38
XBC125/08	38
XBC125/16	38
XBC135/16	38
XBC140/08	38
XBC150/08	38
XBC150/16	38
XBC165/08	38
XBC168/16	38
XBC17/19	38
XBC175/16	38
XBC184/08	38
XBC185/24	39
XBC190/08	38
XBC200/085	39
XBC200/16	38
XBC200/165	39
XBC21/17	38
XBC210/24	39
XBC215/08	38
XBC225/16	39
XBC225/24	39
XBC230/16	38
XBC240/16	39
XBC245/08	38
XBC255/08	38
XBC26/14	38
XBC275/08	39
XBC300/085	39
XBC300/165	39
XBC300/245	39
XBC300/325	39
XBC37/09	38
XBC400/085	39
XBC400/165	39
XBC400/245	39
XBC400/325	39

Code	Page
XBC43/06	38
XBC65/23	38
XBC65/27	38
XBC76/17	38
XBC85/08	38
XBC90/08	38
XBC95/05	38
XBC95/08	38
XBC95/12	38
XDR115	35
XDR125	35
XDR135	35
XDR150	35
XDR165	35
XDR175	35
XDR180	35
XDR200	35
XDR215	35
XDR225	35
XDR250	35
XDR275	35
XDR65	35
XDR85	35
XDR95	35
XFD700	37
XFD800	37
XPA45/65	35
XPA50/115	35
XPA50/95	35
XPA65/115	35
XPA65/95	35
XSB115	36
XSB125	36
XSB135	36
XSB150	36
XSB165	36
XSB175	36
XSB180	36
XSB200	36
XSB215	36
XSB225	36
XSB250	36
XSB275	36
XSB290	36
XSB310	36
XSB320	36
XSB335	36
XSB345	36
XSB360	36
XSB385	36
XSB410	36
XST115	37
XST125	37
XST135	37
XST150	37
XST160	37
XST180	37
XST200	37
XST215	37
XST32	37

Code	Page
XST42	37
XST50	37
XST65	37
XST95	37
XTB800	37

Guide to Ordering Procedures

To help us improve our service level please ensure your orders:

- State clearly any Special Delivery Instructions, times, access, vehicle types.
- Product codes always override product descriptions.
- Product codes should be used when placing your order.
- Product pack & bag quantities should be observed and clearly stated as identified in this publication.
- When ordering products with colour options please use suffix detailed at top of page e.g. Grey (G).
- Carriage paid values detailed below should be considered.
- Complete promptly and return our Logistics fax (this is automatically sent to you when we create any new delivery points on your behalf).
- Any order alterations/cancellations will only be accepted up to the point when the load is compiled. It is not possible to effect changes after this.
- We will advise when orders fall short of the carriage paid terms and we have no other orders outstanding to which we can add to. We do not have facility on our system to process and hold low value orders.

General Trading Information



Pack Quantities

In order to provide our customers with shorter lead times we are looking for your support when placing orders.

Therefore to enable us to fulfil this, please place your orders in pack multiple quantities only.

We have carried out extensive research and reduced many of our pack quantities to satisfy the needs of today's market.

Products not ordered in pack multiples will be rounded up to the next saleable pack multiple.

Stillage Deliveries

Extrusions are available in wooden frames for mechanical offload. Please refer to pack quantity list for detail. Mixed product frames are not available.

BAGS are only available in stillages by prior arrangement in pre-determined product/pack configuration. A charge will be levied on all metal stillages and refundable on return. A contract would be established to control and monitor stillage movements.

Delivery Targets

- Merchants stock within a 7 working day period - including day order was received.
- Building sites within a 5 working day period - including day order was received.
- Other delivery requirements and emergency requests by prior arrangement.

Site Deliveries

We will require logistical information before attempting to deliver to any new sites. Your prompt attention to these requests is important due to the short lead-time expectancy of end users.

Emergency Collections Facility

We do have a pre-booked collection facility for emergency orders. A 48-hour notice period is required to comply with our health and safety policies.

Carriage Paid Order Values

- Merchant Stock – £550.00 net
- Site Deliveries – £1000.00 net
- Site Deliveries MDPE – £1000.00 net

Carrier

We can offer a 48-hour carrier facility to cater for your urgent requests. A scale charge will apply for this facility. Details are available on request. We do not offer an overnight service.

Claims for Shortages & Damaged Extrusions (Pipes, Gutters and Large Mouldings)

Our drivers will countersign the delivery note as each of these products are offloaded.

Bags

Each bag delivered will be identified with Customer name, load number, individual bag number and total bag count of your consignment.

The driver will offload and bag count. He will obtain your signature as confirmation that you have received the correct number of bags.

Discrepancy Notification

All extrusions - i.e. pipes gutters and large mouldings are listed at the start of the advice note inventory. Any discrepancies in relation to Pipes, Gutters and Large Mouldings must be noted on the advice note at the time of delivery.

Bags - Any discrepancy relating to the number of bags delivered must be noted on the advice note at the time of delivery. Any discrepancies on bag contents must be advised within 7 days of delivery.

Proof of Deliveries

Proof of delivery signatures for depot deliveries are available on 01709 770000 (ask for P.O.D.'s). All site deliveries will automatically be sent a P.O.D. via fax to the branch that placed the order.

Return of Products

We do not accept return of any product surplus to requirement unless previously agreed in writing. Last minute customer cancellations may also be subject to a cancellation charge. Any agreed product returns would be subject to 25% re-stocking charge (£60 minimum).

Terms and Conditions

A full copy of our terms and conditions are detailed overleaf.

Terms & Conditions

1 GENERAL

- 1.1 In these conditions
- 1.1.1 "the Company" means Polypipe Building Products which is a registered trading division of Polypipe Limited. Company registration number 1099323, Registered office: Broomhouse Lane, Edlington, Doncaster DN12 1ES, United Kingdom.
- 1.1.2 "Customer" means the person with whom the Company contracts for the supply of Product pursuant to these conditions;
- 1.1.3 "Order" means any order submitted to the Company by a Customer;
- 1.1.4 "Order Confirmation" means any order confirmation submitted to the Customer by the Company;
- 1.1.5 "Product(s)" means the goods and/or services to be supplied by the Company as referred to and described in an Order which is accepted by the Company;
- 1.1.6 "Quotation" means the quotation submitted to the Customer by the Company prior to submission of an Order which details the prices at which the Customer may make an offer to purchase the Products;
- 1.1.7 "Writing" includes telex, cable, facsimile transmission, electronic data transfer and comparable means of communication.
- 1.2 A contract shall come into force between the Parties each time an Order is accepted by the Company, whether by issuing an Order Confirmation, by delivery, or otherwise, but not before. Subject to clause 1.3, (i) the terms of each contract shall be as set out in these conditions and the terms of any Order accepted by the Company, and (ii) in the event of any conflict between these conditions and any such Order, the terms of the Order shall prevail.
- 1.3 Save to the extent contemplated at clause 2.1, the parties agree that any terms and conditions submitted at any time by the Customer which have not been written specifically for the purposes of the Product requirement to which a specific Order relates (including, without limitation, any standard terms and conditions of purchase which are printed on any order documentation submitted by the Customer), shall not apply to any contractual dealings between the parties and shall not be deemed to constitute a counter-offer to purchase Products in accordance with those terms unless a specific intention is expressed for such terms and conditions to apply in respect of a specific Order notwithstanding this clause 1.3, and any failure by the Company to challenge or respond to any such terms and conditions does not imply and shall not constitute acceptance of those terms and conditions.
- 1.4 Unless otherwise stated therein Quotations shall be valid for a maximum period of 30 days from issue and may be withdrawn at any time by written or oral notice.
- 1.5 Any statement or representation (other than in the Company's Quotation or these terms and conditions) by the Company its servants or agents upon which the Customer wishes to rely must be set out in Writing and attached to or endorsed on the Customer's Order and in any such case the Company may confirm, reject or clarify the point and submit a new Quotation. Any statement or representation which is not so confirmed in Writing is followed or acted upon entirely at the Customer's own risk, and shall not form any part of the contract between the parties, and shall be deemed not to have influenced the Customer in deciding whether to enter into the contract.
- 1.6 The contract is between the Company and the Customer as principals; neither the benefit nor the burden is assignable by the Customer without the Company's written consent; the contract may be assigned or subcontracted by the Company.
- 1.7 Unless specifically agreed to the contrary all trade terms shall be interpreted in accordance with current INCOTERMS.
- 1.8 If, subsequent to any contract of sale which is subject to these conditions, a contract of sale is made with the same Customer without reference to any conditions of sale or purchase, such contract howsoever made shall be deemed to be subject to these conditions or (if different) the standard Conditions of Sale of the Company current at the time when such contract of sale is made.
- 2 **ELECTRONIC TRADING**
- 2.1 If the Company and Customer agree that electronic trading between them shall be a basis for order processing and invoicing then these terms and conditions shall apply subject to any special terms and conditions terms which are specific to electronic trading and which have been agreed by the parties in writing.
- 2.2 Electronic orders shall be valid if all the information agreed between the Customer and the Company as being required is properly set out in the agreed format and the order is transmitted by the Customer to the Company by reference to the correct identification code and is received by the Company when collecting its electronic mail from the relevant system.

3 DELIVERY

- 3.1 Unless otherwise agreed in Writing by the Company delivery shall be deemed to take place in the case of ex-works sales when the Products are made available by the Company for collection by the Customer or its carrier and in all other cases upon delivery by the Company to the agreed mainland UK delivery point airport or port but before the Products are unloaded, which shall be the responsibility of the Customer.
- 3.2 The Company shall not be obliged to make delivery unless and until the Company has received all necessary information, drawings, final instructions and approvals from the Customer and the Customer acknowledges that any delays or alterations by the Customer may result in delayed delivery for which the Company shall not be responsible.
- 3.3 All dates and periods for delivery are estimated and do not constitute fixed times for delivery by the Company. Unless such a right or rights are expressly agreed in Writing by the Company, the Customer shall have no right to damages or to cancel the contract for failure arising from any cause to meet any delivery times given in the contract or subsequently set.
- 3.4 Notwithstanding clause 3.3 the Customer shall be obliged to accept delivery on the date or within the period stated in the Quotation or (if none is so stated) no later than one month after the issue or notice in Writing by the Company requiring the Customer to accept delivery. Failure by the Customer either to take delivery or to make payment in respect of any one or more installments of Products shall entitle the Company to terminate the Contract (such right is without prejudice to any other rights and remedies available to the Company whether expressly provided for in these Conditions or implied by any rule of law).
- 3.5 Where the Customer requests and the Company agrees to postpone delivery or where delivery is otherwise postponed or delayed without default by the Company, the Customer shall pay upon receipt of written demand from the Company all costs and expenses including a reasonable charge for storage and transportation occasioned thereby and the Customer shall pay for the Products in accordance with these conditions as if the same had been delivered in the ordinary course without reference to the postponement or delay. In addition, the Company shall be entitled to claim interest pursuant to Clause 7.3.2 of these Conditions from the date on which payment would have fallen due, had the Products been delivered in the ordinary course but for the postponement or delay.
- 3.6 Unless otherwise expressly agreed in Writing the Company may effect delivery in one or more installments. Where delivery is effected by installments each installment shall be treated as a separate contract governed by these conditions. No delay in the delivery of any installment of Products or any defect therein shall entitle the Customer to terminate the remainder of the contract.

4 RISK AND TITLE

- 4.1 Risk of damage to or loss of the Products shall pass to the Customer upon delivery and the Customer is then solely responsible for all loss damage or deterioration to the Products.
- 4.2 Title to the Products shall not pass to the Customer until either:-
- 4.2.1 The Company has received in cash or cleared funds all monies payable (whether or not due) to the Company under this and any other contracts whenever made between the Company and the Customer including contracts made after this contract; or
- 4.2.2 When the Company serves on the Customer notice in Writing specifying that title in the Products or any part thereof has passed.
- 4.3 Until title has passed to the Customer the Company may require the Customer to deliver up to the Company all products in respect of which the Company has title and if the Customer fails to do so forthwith the Company's officers, employees, representatives or agents shall be entitled to enter upon any premises where such Products are kept for the purposes of recovering the same.
- 4.4 Until title to the Products has passed to the Customer pursuant to these conditions it shall possess the Products as fiduciary agent and bailee of the Company and shall store the Products separately from other goods not owned by the Company and shall ensure that they are fully insured on an all risks basis and clearly identifiable as belonging to the Company and the Company shall be entitled to enter upon any premises where such Products are kept for the purpose of satisfying itself that this condition is being complied with by the Customer.
- 4.5 In the event that the Customer has any contract with any other company under the ultimate control of the parent company that has ultimate control of the Company under which any monies are outstanding (whether or not due) then the Customer shall not (notwithstanding that title would otherwise pass pursuant to Clause 4.2 above) obtain title to the Products or other goods supplied by the Company under this or any other contracts between them until such other company has received in cash or cleared funds all such monies.

Terms & Conditions



5 CANCELLATION AND AMENDMENT

5.1 No contract can be amended or cancelled except with the Company's approval in Writing and should such approval be given the Customer shall indemnify the Company against any costs, losses or expenses resulting from any cancellation or amendment.

6 PRICES

6.1 Unless otherwise agreed in Writing all prices shall be as stated in the valid Quotation or, if no valid Quotation is in place, the Company's prevailing standard price at the time of receipt of an Order, and are for delivery ex works and are exclusive of VAT and any other applicable taxes, which are payable in addition. Unless otherwise stipulated by the Company in Writing prices are payable in Sterling or if the Sterling currency has ceased to exist when the contract is made, shall be payable in such currency as replaces the Sterling currency.

6.2 The Company will use its best endeavors to ensure that all prices on display/ provided to Customers are correct and up to date. However, should a Customer place an Order using an incorrect price then the Customer agrees that the Company may substitute the incorrect price set out in the Order for the correct price (whether the price specified on a valid Quotation or the Company's prevailing standard price, as appropriate) and charge accordingly.

6.3 The Company shall be entitled at any time by giving notice in Writing, before or after final invoicing to make a reasonable adjustment to the price in the event of any alteration in quantity, design or specification requested by the Customer.

6.4 The Company reserves the right at any time prior to delivery by giving notice in Writing to increase the price if there is any increase in the cost of materials, labour, transport, or utilities or if the costs of the Company are increased by any other factor beyond the reasonable control of the Company.

6.5 Charges made on the Company's invoice for cases will be credited on their return to the Company's premises carriage paid and in good reusable condition. Cases shown as returnable but not charged on the Company's invoice must be returned to the Company's premises carriage paid and in good re-usable condition otherwise an additional charge will be made in respect of their cost.

6.6 The Customer shall be liable to the Company for any demurrage costs incurred in the event of vehicles being unduly delayed at the point of delivery.

7 TERMS OF PAYMENT

7.1 Unless otherwise agreed by the Company in Writing, the Customer shall make payment by the last day of the month following the month of invoice and the Company shall be entitled to issue invoices in the month in which the Products are delivered or would have been delivered, save for postponement or delay otherwise than due to default on the part of the Company. Time for payment of the price is of the essence of the contract.

7.2 No disputes arising under this contract shall serve to permit payment by the Customer of sums due to the Company to be delayed nor shall disputes interfere with prompt payment in full. The Buyer shall not be entitled to make any deduction from or set off against any sums owing to the Company by reason of any such dispute or at all.

7.3 In the event of default in payment by the Customer the Company shall be entitled, without prejudice to any other right or remedy:

7.3.1 to suspend without notice all further deliveries on this or any other contract between the Company and the Customer;

7.3.2 to charge interest on a daily basis (after as well as before judgement) on any amount outstanding at the rate of 4% above the Base Rate of Lloyds Bank plc from time to time; and/or

7.3.3 to serve notice on the Customer requiring immediate payment for all goods supplied by the company under this and all other contracts between them whether or not payment is otherwise due or invoiced.

8 SPECIFICATIONS

8.1 Subject to Clause 8.2 the Products shall in all material respects be of such specification agreed between the Company and the Customer under the contract, or (if not so agreed) shall be generally in all materials respects in accordance with any published specification issued by the Company.

8.2 The Company reserves the right to make changes in dimensions or other specifications of the Products as are required to conform to applicable standards or laws or are otherwise within reasonable limits having regard to the nature of the Products. Dimensions specified by the Company are to be treated as approximate only unless it is specifically agreed in Writing that exact measurements are required.

8.3 The Customer acknowledges that it has not specified any particular use for the Products and that it is entirely its own responsibility to satisfy itself that the Product is suitable for the use which it intends.

9 LOSS SHORTAGES AND DAMAGE APPARENT ON DELIVERY INSPECTIONS

9.1 The Customer shall have no claim for loss, shortages or damage on delivery which are or would be apparent on inspection unless the Customer:

9.1.1 unpacks and inspects the Products as soon as reasonably practicable following receipt;

9.1.2 notifies the Company of any loss, shortages or damage (otherwise than by a qualified signature on the delivery note) within ten working days of receipt; and

9.1.3 demonstrates to the satisfaction of the Company that such loss, shortages or damage occurred prior to delivery.

9.2 The Customer shall have no rights in respect of loss, shortages or damage unless the Company is given a reasonable opportunity to inspect the Products and investigate any complaint before any use of or alteration to or interference with the Products.

9.3 On a valid complaint made in accordance with this Clause the Customer shall be entitled (in the case of notified shortages) to receive within a reasonable time a delivery of Products equivalent to the shortfall and (in the case of defects) to repairs to or replacements for the affected Products or at the Company's option a credit for the price thereof but the Company shall have no further liability whatsoever. If a complaint of loss, shortages or damage on delivery is not made to the Company in accordance with this Clause 9 within 5 working days of the date of delivery, then the Products shall be deemed to be delivered complete and undamaged in accordance with the contract and the Customer shall be bound to pay for the same accordingly.

9.4 Loss, shortages or damage in a delivery or any installment delivery shall not be a ground for termination of the contract or the remainder of the contract (as the case may be).

10 WARRANTY

10.1 The Company warrants that Products which do not comply with either Clause 8.1 or Sections 13 to 15 of the Sale of Goods Act 1979 (as amended) are shown to have been defective at delivery as a result of faulty design workmanship or materials (other than free-issue materials), shall either be repaired or replaced or that, at the Company's option, a credit or refund for the price thereof shall be given provided always that:

10.1.1 the Company receives written notice of the defect within 12 months of delivery;

10.1.2 no alteration to or interference with the Products takes place before the Company is given access to the Products to inspect and test the same;

10.1.3 the defect does not consist of a loss shortage or damage to which Clause 9 is expressed to apply;

10.1.4 the defect does not arise by reason of a design specification or instruction given by the Customer;

10.1.5 the Customer has not defaulted in its obligation to make payment of the contract price for the Products;

10.1.6 the defect shall not be attributable to incorrect storage or use of the Products by the Customer.

10.2 The benefit of Clause 10.1 shall only extend to Products or parts not manufactured by the Company to the extent that the Company has equivalent recourse against the manufacturer or supplier thereof.

10.3 The Customer shall indemnify the Company in respect of loss or damage arising from any use made of Products after the Customer became or ought reasonably to have been aware of a defect.

10.4 In the event of a valid claim being made in accordance with Clause 10.1:

10.4.1 the Customer shall be bound to accept repaired or replacement Products or at the Company's option credit or repayment and shall not be entitled to terminate the contract;

10.4.2 if the Company does not repair or replace Products within 60 days or such longer time as may be reasonable then the Customer's sole remedy shall be an entitlement to full credit or repayment in respect of the defective Products; and the Company shall be under no further liability in respect of any loss or damage arising from the defect or from any delay before repair replacement credit or refund is effected.

11 LIABILITY

11.1 The Company does not exclude liability arising under Section 12 of the Sale of Goods Act 1979 (good title) (as amended) or for death or personal injury caused by its negligence as defined in the Unfair Contract Terms Act 1977, fraudulent misrepresentation or any other type of liability which cannot by law be excluded or limited

Terms & Conditions

- 11.2 Save as provided under Clauses 9, 10 and 11.1 the Company shall have no liability to the Customer in connection with or arising from any defect or failure in the Products or otherwise due to the quality, condition, suitability, durability, safety or any other aspect or feature of the Products. The Company's liability, whether in respect of one claim or in the aggregate, shall not exceed the contract price payable under this contract for the supply of Products to be provided under it. The price of the Products is predicated on the basis of the limitations and exclusions set out in these conditions. The Customer acknowledges that without those exclusions and limitations, the price of the Products would be higher and that the limitation of the Company's liability is therefore reasonable in all the circumstances. The Customer agrees that it is its own responsibility to insure adequately to cover any loss or damage in excess of the aforesaid limit of the Company's liability. Subject to reaching agreement on terms, the Company and the Customer may determine an increased level of liability which is to be accepted in Writing by the Company to cover, in particular specific types of loss or damage which both parties reasonably foresee and anticipate.
- 11.3 In Clause 11.2 the term "liability" means any form of liability whatsoever including but not limited to liability in misrepresentation and under contract, common law, equity and any statutory provision whether or not based on negligence or breach of any express or implied duty to act with care or skill.
- 11.4 Notwithstanding any other provisions of these conditions the Customer shall have no claim against the Company in respect of any loss other than strictly direct losses (meaning for these purposes the increased costs of purchasing products from a third party or the cost of remedial repair work) and specifically consequential, financial economic loss whether direct or indirect including but not limited to any incidental costs of dismantling fitting or other ancillary work required in connection with the provision of a repair or replacement, any loss or production profits contracts loss of use or anticipated savings and any claims made against the Customer by any third party are excluded even if reasonably foreseeable.
- 11.5 To the extent that any liability of the Company is expressed to be limited or excluded by these conditions the Customer shall indemnify the Company in respect thereof.
- 12 CONFIDENTIAL INFORMATION ETC**
- 12.1 All drawings, documents, records, computer software and other information supplied by the Company are supplied on the express understanding that all intellectual property rights therein is reserved to the Company and that the Customer will not without written consent of the Company either give away, loan, exhibit, or sell the same or extracts therefrom or copies thereof or use the same in any way except in connection with the Products in respect of which they are issued.
- 13 PATENT INDEMNITIES**
- 13.1 If the Customer is subject to a claim or threatened with any action alleging that the Products in the form supplied infringe any patent, copyright, design right or other intellectual property right then provided that the Customer promptly informs and fully co-operates with the Company and if requested allows the Company the conduct and defence thereof on the Customer's behalf, the Company will indemnify the Customer against any award or damages for infringement made in any such action by a court or other competent body against the Customer. Further, if the Products are infringing the Customer agrees that the company shall have the option at its own expense either to modify the Products so that they do not infringe; to replace the Products with a non infringing substitute; to procure for the Customer the right for the Customer to continue its use of the Products; or to repurchase the Products from the Customer at the price paid by the Customer less an allowance for the use made thereof.
- 13.2 The Company shall have no liability in respect of claims for infringement or alleged infringement of third parties patent or other intellectual property rights arising from the manufacture or supply of the Products to the Customer's instructions or in accordance with designs plans or specifications given by the Customer and the Customer shall indemnify the Company against all losses damages expenses costs or other liability arising from such claims.
- 14 CUSTOMER'S DRAWINGS**
- 14.1 The Customer shall be solely responsible for ensuring that all drawings information advice and recommendations specified or given to the Company by the Customer or its agents, servants consultants or advisers are accurate correct and suitable Examination or consideration by the Company of such drawings information advice or recommendations shall not result in any liability on the part of the Company.
- 15 COMPANY LITERATURE**
- 15.1 The information contained in the advertising, sales, technical, and other literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any illustrations performance details examples of installations and methods of assembly and all other information and data in such literature are based on experience and upon trials under test conditions and are provided for general guidance only. No such information or data shall form part of the contract unless it is specifically referred to in the Quotation.
- 16 TERMINATION**
- 16.1 Without prejudice to any other rights or remedies of the Company it shall be entitled in any of the following circumstances to terminate (in whole or in part) this and any other contract whenever made between the Company and the Customer and/or to suspend deliveries and/or to receive upon demand payment of all monies payable under any such contracts whether or not otherwise due:
- 16.1.1 the Customer made or proposes any voluntary arrangement with its creditors or becomes subject to an administration order or becomes bankrupt or goes into liquidation;
- 16.1.2 an encumbrancer takes possession or a receiver is appointed of any of the property or assets of the Customer;
- 16.1.3 the Customer becomes unable to satisfy its debts as they fall due or cease, or threatens to cease to carry on business;
- 16.1.4 the Company reasonably believes that any of the events mentioned above or any equivalent or similar event under any relevant laws to which the Customer or any connected person is subject has or may occur;
- 16.1.5 the Customer or any connected person commits any breach of this or any other contract whenever made between the Customer and the Company.
- 17 FORCE MAJEURE**
- 17.1 The Company shall be excused performance of its obligations whilst and if affected by act of God governmental restriction condition or control, any act done or not done pursuant to a trade dispute whether such dispute involves its employees or not, default by suppliers of the Company, shortage of materials or by any other act matter or thing beyond its reasonable control including failure by the other party to carry out anything required for performance of the contract.
- 17.2 In the event that the Company does not perform its obligations by reason of any of the causes referred to in Clause 17.1 within six months after the time for performance then the Company or the Customer may by written notice terminate the contract without liability save that the Customer shall pay for any Products delivered or completed at the time of termination.
- 18 TOOLS**
- 18.1 Any tools (such as jigs, dies, etc) which the Company may construct or acquire specifically in connection with the Products shall, notwithstanding any charges the Company may make for them, be and remain the Company's sole and unencumbered property and in the Company's possession and control without restriction.
- 19 FREE-ISSUE MATERIALS**
- 19.1 Free-issue material shall be insured by and remain at the risk of the Customer at all times and the Company shall be indemnified by the Customer against any loss, damage, injury or expense whatsoever arising directly or indirectly therefrom and the company shall not be liable for loss of or damage to any such materials during fabrication by the Company or sub-contractor employed by Company or whilst on the premises of the Company or of any such sub-contractor or in transit to or from the premises of the Company or of any such sub-contractor provided that the Company may at its sole discretion make a contribution towards the replacement costs of such materials.
- 19.2 An allowance for material lost as process scrap is (where applicable) included in the contract price and no such losses shall be the subject of any claim by the Customer or contribution by the Company.
- 19.3 Where materials are supplied by or on behalf of the Company the Customer shall be responsible to ensure that the material is of satisfactory quality and is fit for its purpose and shall indemnify be Company against any loss damage, injury or expenses whatsoever arising directly or indirectly from any fault in or incorrect specification of the said materials.

Terms & Conditions



20 CONSUMER PROTECTION ACT 1987

20.1 Where the Customer purchases the Products for use or incorporation with any other products to be assembled, produced, processed packed or supplied by the Customer or for resale or supply ancillary to any such other products or other products supplied by the Customer then:

20.1.1 the Customer shall forthwith on demand produce for inspection by the Company copies of all written instructions information and warnings to be supplied by the Customer in relation thereto provided nevertheless that such inspection or right to inspect shall not give rise to any responsibility or liability on the part of the Company; and

20.1.2 the Customer shall indemnify the Company against any losses, costs and damages that the Company may suffer or incur in the event any claim is made against the Company in relation thereto if the Products did not comprise the defective element thereof or were rendered defective by reason of actions or omissions of the Customer (including without limitation the supply of defective free-issue materials) or were rendered defective by reason of instructions or warnings given or omitted by the Customer or other reseller.

20.2 For the purpose of Clause 20.1 the term "defective" shall be interpreted in accordance with the definition contained in Part 1 of the Consumer Protection Act 1987.

21 HEALTH & SAFETY

21.1 The Customer agrees to pay due regard to any information supplied by the Company relating to the use for which the Products are designed or have been tested or concerning conditions necessary to ensure that they will be safe and without risk to health at all times when they are being set, used, cleaned, serviced or maintained by any person and the Customer undertakes to take such steps as may be specified by such information or otherwise necessary to ensure that as far as is reasonably practicable the Products will be safe and without risk to health at all times as mentioned above.

22 LAW AND JURISDICTION ETC

22.1 The Contract shall be governed and interpreted exclusively according to the Laws of England.

The parties hereby agree to submit to the exclusive jurisdiction of the English courts provided that the Company may at its option take proceedings in the courts of the state in which the Customer is domiciled including action to obtain any remedy (including injunctive relief). In the case of any order for the export of Products, the Schedule to the Uniform Law on International Sales Act 1967 shall not in any circumstances apply to the Contract and neither shall the limits imposed by the Unfair Contract Terms Act 1977 on the extent to which liability can be excluded or limited.

22.2 No waiver of or delay or failure by the Company to exercise any rights or remedies shall prejudice or preclude any future or further exercise thereof.

22.3 If any provision of these conditions shall be held invalid or unenforceable in whole or in part then the unaffected provisions shall remain in full force and effect. Headings appear for convenience only and shall not affect the Construction of these conditions.

22.4 If the Contract provides for the supply of services and no general conditions of the Company relating specifically to the supply of services are made applicable to such services then these conditions shall mutatis mutandis apply to such services as they would apply to Products and in such event Clause 10.1 will be deemed to include a reference to Sections 3 to 5 of the Supply of Goods and Services Act 1982 (as amended), either in addition to or in place of the reference to Sections 13 to 15 of the Sale of Goods Act 1979 (as amended) as may be appropriate. For the avoidance of doubt the following provisions apply where the Company supplies services to the Customer in accordance with clause 22.4:-

22.4.1 the Company's obligation to provide the services is in any event conditional upon payment of the agreed price for the services. Any default or delay in payment according to the terms agreed between the Company and the Customer shall entitle the Company at its option to decline to perform or decline to continue to perform its obligations hereunder but without thereby incurring any liability to the Customer.

22.4.2 Save to the extent that by reason of negligence on the part of the Company in the performance of the services which results in death or personal injury (which the Company does not limit or exclude), the Company's liability under the contract shall be limited to the amount of charges paid to the Company in return for the services and in particular the Company accepts responsibility only for direct and unavoidable loss or damage arising from any negligence in the provision of services and in particular all other types of loss whether economic, financial, indirect or consequential and whether reasonably foreseeable or not are excluded to the fullest extent permitted by law.

22.4.3 The Customer shall lend all such reasonable assistance to the Company in the performance of the services as the Company shall reasonably require.

22.4.4 The Customer shall indemnify and keep the Company, its employees, agents and contractors indemnified at all times from and against any loss or damage and injury caused to persons or property in the course of the provision of the services where such loss or damage arises by reason of the Customer's negligence or negligence of persons under the control of the Customer.

22.4.5 The Customer acknowledges and agrees that if due to the act or omission of the Customer, the Company is not able, having attended at the Customer's premises to perform the services, the Company shall be entitled to claim reasonable additional costs and expenses from the Customer occasioned by any resulting delay in the provisions of the services.

22.5 In cases for the sale or supply of Products overseas, the following additional provisions shall apply unless otherwise stipulated in writing by the Company:

22.5.1 The Customer shall be solely responsible for obtaining all necessary import authorisations, the payment of any applicable import taxes, duties or imposts and the Company shall be under no obligation to give the Customer the notice specified in Section 32(3) of the Sale of Goods Act 1979 (or any re-enactment thereof);

22.5.2 Quotations issued in a currency other than Sterling may at the Company's option, unless otherwise agreed in writing, be subject to amendment in the event of fluctuations in the applicable exchange rate prior to the date of invoice;

22.5.3 payment in respect of Products for export is due on the date specified by the Company at the date when the Contract is made, in the currency stated in the invoice and in accordance with the method of payment stipulated by the Company. All costs incurred by the Company in connection with the designated particular method of payment shall be met by the customer.

23 DISTANCE SELLING REGULATIONS

If you are a consumer within the meaning of the Distance Selling Regulations 2000 and you have bought the products detailed overleaf over telephone, internet or via mail order then within seven days of receipt of your products you have the right to cancel your order and return the Products for a full refund.

Notes

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Below Ground Drainage,
Water Supply, Utilities &
Insulation Trade List 2018

